



# CIVIL REGISTRATION SYSTEM IN NAGALAND ANNUAL REPORT 2024



**GOVERNMENT OF NAGALAND**  
**DIRECTORATE OF ECONOMICS AND STATISTICS**  
NAGALAND: KOHIMA





# **CIVIL REGISTRATION SYSTEM IN NAGALAND ANNUAL REPORT 2024**

**GOVERNMENT OF NAGALAND  
DIRECTORATE OF ECONOMICS AND STATISTICS  
NAGALAND: KOHIMA**



# Preface

Births and Deaths are the two most important vital events that define life of an individual. Not only do they describe the legal existence of an individual, registrations of these events are a primary source of vital data of the population to which they belong. Civil registration is a continuous, permanent, compulsory recording of the occurrence and characteristics of vital events, like births, deaths, and still births. The vital statistics are invaluable for planning, monitoring and evaluating various programmes related to primary health care, family planning, maternal and child health, gender etc. Information collected through registration process about vital events provides useful and important statistics.

Registration of Births and Deaths Act, 1969 envisage uniform procedure for registration of vital events through-out the country. Section 4(4) and 19(2) of the Act lays down that the Chief Registrar of Births and Deaths in the state has to prepare an annual report on the implementation of the Act and submit the same to both Union and State Governments.

This issue of the Report on Civil Registration System for the year 2024 provides an overview of the working of the Civil Registration System (CRS) in the state and presents a compilation of data on registered births, deaths, infant deaths and still births with rural-urban & sex-wise break-up and sex ratio at birth based on Civil Registration Records. The Statistical tables in this Annual Report 2024 are in accordance with the model tables defined in the RBD rules, 1999 and are in accordance with the Office of Registrar General of India (ORGI), Government of India.

I am hopeful that more dynamic implementation of the provisions the RBD Act-1969 shall help reduce the time gap and establish this as a reliable source of information on the Birth and Death registration in the state, which will facilitate the need of data users and planners of the health-related programmes.

I would like to place on record my appreciation for the efforts and co-operation extended by the Registering functionaries and all the stakeholders at various levels for collation of the Report.

Suggestions are gladly welcome for the improvement of this report.

Place: Kohima  
Date: 11-11-2025

  
(NEIDILHOU KEDITSU)  
Director  
Economics & Statistics  
Nagaland: Kohima.



# CONTENTS

		<i>Page</i>
➤	Overview Of Civil Registration System (CRS)	<b>1</b>
➤	Executive Summary	<b>3</b>
➤	Concepts And Methodology Of Calculating Vital Indicators	<b>4</b>
<i>S.I No</i>	<i>Title</i>	
1	Chapter 1 : Annual Report on the working of Registration of Births & Deaths Act 1969 for the year 2024	<b>7</b>
2	Chapter 2 : Analysis of Vital Events -Live Births	<b>17</b>
3	Chapter 3 : Analysis of Vital Events-Deaths	<b>35</b>
4	Chapter 4 : Medical Certification of Cause of Death (MCCD)	<b>45</b>
<b>List of Tables</b>		
1(I)	Vital Statistics by District in Rural Areas During 2024	<b>88</b>
1(II)	Vital Statistics by District in Urban Areas During 2024	<b>89</b>
2	Number of Births, Deaths and Infant Deaths by Sex, Maternal Deaths and Still Births Registered During 2024	<b>90</b>
3	Number of Births, Deaths and Infant Deaths by Sex, Maternal Deaths and Still Births Registered During 2024 (Consolidated)	<b>92</b>
4	Vital Rate by Districts During 2024 (Per Thousand Population)	<b>93</b>
5	Vital Statistics for Towns With Population 30,000 And Above During 2024 (Per Thousand Population)	<b>94</b>
6	Number of Live Births by Type of Delivery Attention During 2024	<b>95</b>
7	Number of Deaths by Type of Medical Attention Received During 2024	<b>95</b>
8	Number of Deaths by Age and Sex During 2024	<b>96</b>
9	Vital Statistics by Religion During 2024	<b>97</b>
10	Vital Statistics by Month and Sex During 2024	<b>98</b>
11(I)	Live Births by Birth Order and Age of Mother in Rural Areas During 2024	<b>99</b>
11(II)	Live Births by Birth Order and Age of Mother in Urban Areas During 2024	<b>99</b>
12(I)	Live Births by Birth Order and Literacy of Mother in Rural Areas During 2024	<b>100</b>

12(II)	Live Births by Birth Order and Literacy of Mother in Urban Areas During 2024	100
13(I)	Live Births by Birth Order and Literacy of Father Rural Areas During 2024	101
13(II)	Live Births by Birth Order and Literacy of Father in Urban Areas During 2024	101
14(I)	Live Births by Birth Order and Occupation of Father in Rural Areas During 2024	102
14(II)	Live Births by Birth Order and Occupation of Father in Urban Areas During 2024	103
15(I)	Live Births by Birth Order and Father's Religion in Rural Areas During 2024	104
15(II)	Live Births by Birth Order and Father's Religion in Urban Areas During 2024	104
16	Deaths by Occupation and Sex During 2024	105
17	Infants Deaths by Sex & Age During 2024	106
18	Maternal Deaths by Age During 2024	106
19(I)	Time Gap In Registration of Live Births and Deaths in Rural Areas During 2024	107
19(II)	Time Gap In Registration of Live Births and Deaths in Urban Areas During 2024	108
19(III)	Time Gap In Registration of Live Births and Deaths During 2024	109

## OVERVIEW OF CIVIL REGISTRATION SYSTEM (CRS)

- Registration of birth is a right of every child and is the first step towards establishing her/his legal identity.
- It is compulsory to report births and deaths to the Registrar of Births and Deaths under the Registration of Births and Deaths Act, 1969 (Act No. 18 of 1969).
- Births and deaths are registered only at the place of their occurrence.
- Head of the household is responsible to report births and deaths that occur in the house to the Registrar of Births and Deaths of the concerned area.
- It is the responsibility of the officer in charge or any person authorized by her/him to report the births and deaths that occur in hospitals, nursing homes, health centres etc. to the Registrar of Births and Deaths of the concerned area.
- Births and deaths are reported in the prescribed forms - Form 1 for live birth; Form 2 for death and Form 3 for still birth.
- Midwife or any other medical or health attendant who has attended or was present during the birth or death are duty bound to notify the concerned Registrar about the occurrence of the event.
- Keeper or the owner of a place set apart for the disposal of the dead bodies or any person required by a local authority to be present at such place are required to notify the concerned Registrar about the occurrence of the death.
- The Registrar(s) of Births and Deaths have the power under Section 21 of the Act to obtain information regarding birth or death from any person to furnish any information within her/his knowledge.
- Births and deaths are to be reported within 21 days of occurrence of the event.
- The birth/death certificate are issued free of charge by the concerned Registrar for events reported within 21 days.
- The birth/death reported after 21 days but within 30 days can be registered on payment of the prescribed fee.
- The birth/death reported after 30 days but within one year of its occurrence can be registered with the written permission of the prescribed authority and on production of an affidavit made before a notary public or any other officer authorized by the State Government and on payment of the fee as prescribed.

- Births and deaths reported after one year of its occurrence shall be registered only on an order of the Magistrate of the First Class after verifying the correctness and on payment of the prescribed fee.
- A birth can be registered without the name of the child.
- Name of the child can be entered in the birth certificate within 12 months without any fee and after one year but within 15 years of registration on payment of prescribed fee and by approaching the concerned Registrar.
- Error(s), if any, in the particulars of birth or death records can be corrected as per the prescribed procedure under Section 15 of the Act.
- Any entry in the birth or death records made fraudulently or improperly, can be cancelled by the concerned Registrar.
- Under Section 17 of the RBD Act, 1969, any person can cause a search in the birth or death registers for any entry and obtain a certified extract. Such extracts shall be admissible as evidence of birth or death to which the entry relates.
- All Registrars are required to send a monthly return to the concerned Additional District Registrar/District Registrar or Chief Registrar.
- The birth of an Indian Citizen, occurred outside the country, can also be registered in India within sixty days of return of the parents at the place where they intend to settle. After this period, it could be registered under delayed registration provisions of the Act.
- There is no provision to register death of an Indian Citizen that has occurred outside the country.
- Non-reporting of births and deaths, giving false information for inclusion in the register, refusing to put signature in the reporting form/register and non-registration of events reported to the Registrar is a punishable offence under the Act.
- Under the RBD Act, 1969, Registrars and Sub-Registrars are public servants.
- Registration of births and deaths made prior to implementation of the RBD Act, 1969 is deemed to have been done under the same Act.
- On adoption of a child, the name of the adoptive parents and a new name for the child can be entered in the birth register.

## EXECUTIVE SUMMARY

- The estimated mid-year population of Nagaland for 2024 is 2274000, with rural population estimated at 1617758 and urban population at 656242.
- A total of 61219 births were registered in the state during 2024 of which 30961(50.57percent) were male and 30258(49.43 percent) were female.
- Out of the live births registered in the state during the year, 55.33 percent of the births registered were in rural areas and 44.67 percent were registered in urban areas.
- The Crude Birth Rate of Nagaland for 2024 is 1.98.
- Out of the total births registered during 2024, 43.75 percent of births were attended by others, 27.18 percent of births were attended by untrained mid-wife, 10.54 percent were attended by physician/nurse and trained mid-wife and 18.53 percent were institutional births.
- The majority i.e. 91.15 percent of the live births were Christians followed by 5.60 percent Hindus, 3.07 percent Muslims and 0.17 percent belonging to other religions.
- During the year, the highest number of births (12.29 percent) were registered in the month of February, while the lowest live births were registered in the month of December (3.63 percent).
- 1.32 percent of live births were registered within prescribed time limit of 21 days during 2024.
- Out of the total 3207 deaths registered, 2218 (69.16 percent) are male and 989 (30.84 percent) are female.
- The Crude Death Rate of Nagaland for 2024 is 1.18.
- The Infant Mortality Rate for 2024 is 0.28.
- Out of the total deaths registered during 2024, 34.21 percent were institutional deaths, 24.26 percent of deaths were attended by qualified medical practitioner (other system), 23.42 percent of deaths were attended by others and 18.12 percent of deaths were attended by qualified medical practitioner (Allopathic).
- During 2024, 85.59 percent of the deaths registered were Christians, followed by 11.60 percent Hindus and 2.49 percent Muslims.
- 27 percent of deaths were registered within the prescribed time limit of 21 days.
- No Still Births were registered during 2024.
- No Maternal Deaths were registered during 2024.
- A total of 508 Medically Certified Cause of Death (MCCD) reports were received during the year, of which 67.91 percent were male and 32.09 percent were female.

## CONCEPTS AND METHODOLOGY OF CALCULATING VITAL INDICATORS

### 1 **Live Birth:**

Complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, and each product of such birth is considered live-born.

- Crude Birth Rate (CBR)
 
$$= \frac{\text{Number of live births registered during the year}}{\text{Mid- year population}} \times 1000$$

### 2 **Still Birth:**

Fetal death, where a product of conception has attained at least the prescribed period of gestation.

### 3 **Death:**

Permanent disappearance of all evidence of the life at any time after live birth has taken place.

- Crude Death Rate (CDR)
 
$$= \frac{\text{Number of deaths registered during the year}}{\text{Mid- year population}} \times 1000$$

### 4 **Infant Death:**

Death of child less than one year old.

- Infant Mortality Rate (IMR)
 
$$= \frac{\text{Number of infant death registered during the year}}{\text{Number of live birth registered during the year}} \times 1000$$

### 5 **Still Birth Rate:**

- Still Birth Rate (SBR)
 
$$= \frac{\text{Number of still births registered during the year}}{\text{Number of live births and still births registered during the year}} \times 1000$$

### 6 **Level of Registration:**

The level of registration, defined as the percentage of registered births/deaths to the births/deaths estimated through Sample Registration System (SRS), determines the performance level of a State/ Union territory with regard to functioning of Civil Registration System.

- **Level of Registration (LOR)**  

$$= \frac{\text{No. of events registered during the year}}{\text{No. of estimated events for the year}} \times 100$$
- SRS provides reliable estimates of infant mortality rate, birth rate, death rate and other fertility and mortality indicators at the national and sub-national levels. It is a large-scale demographic survey conducted every year by Office of the Registrar General, India in all States/Union Territories.

**6.1 Mid-year Population:**

- Population at the mid-point of the year, i.e., 1<sup>st</sup> July of the year.
- Number of estimated events for a year = mid-year population x SRS Rate.
- Sex Ratio at birth (SRB)  

$$= \frac{\text{Number of female births registered during the year}}{\text{Number of male births registered during the year}} \times 1000$$

**7 Gross Natural addition to the Population**

$$= \text{Total Registered Births} - \text{Total Registered Deaths.}$$

**8 Rate of Natural Increase = CBR - CDR****9 Maternal Mortality Rate**

$$\text{MMR} = \frac{\text{Registered number of maternal deaths}}{\text{Number of live births}} \times 100000$$

**10 Number of Monthly Returns due**

A Summary Monthly Report of Forms No. 11 (Birth), 12 (Death) and 13 (Still Birth) presented in a concise single page is required to be submitted every month by a Registration Unit. Thus, every registration unit in the state is expected to send 12 reporting forms in a year.

**11 Adjusted for incomplete Receipt of Returns**

$$= \frac{\text{Estimated Mid-Year Population}}{\text{No. of Monthly Returns Received}}$$



## ANNUAL REPORT ON THE WORKING OF REGISTRATION OF BIRTHS & DEATHS ACT 1969 FOR THE YEAR 2024

Registration of Births & Deaths in Nagaland is implemented as per the Nagaland Registration of Births & Deaths (Amendment) Rules, 1999. These Rules were framed and amended based on the Registration of Births & Deaths Act, 1969. This report covers details of the registration procedures, difficulties experienced, shortfalls and efforts made for the improvement of the registration system in the State. The data included in the report are based on the registered events provided by the Registrars of Births & Deaths in Nagaland.

### **1.1 BRIEF DESCRIPTION OF THE STATE, ITS BOUNDARIES AND REVENUE DISTRICTS**

**Nagaland** is a landlocked state of India, lying in the hills and mountains of the northeastern part of the country. The state lies between 25°60 and 27°40 latitude North of Equator and between the longitudinal lines 93°20E and 95°15E. Nagaland is bounded by the Indian states of Arunachal Pradesh to the northeast, Manipur to the south, and Assam to the west and northwest, and the country of Myanmar (Burma) to the east. The state capital is Kohima, located in the southern part of Nagaland.

### **1.2 AREA AND ADMINISTRATIVE DIVISIONS**

The state of Nagaland was formally inaugurated on 1<sup>st</sup> December 1963, as the 16 state of the Indian Union. The State consists of 17 (Seventeen) Administrative Districts, inhabited by 17 major tribes along with other sub-tribes.

The State, at present comprises of 17 (Seventeen) districts headed by a Deputy Commissioner, 106 (one hundred six) Sub-Divisions/Circles. These Sub-Divisions/Circles are headed by Additional Deputy Commissioners, Sub-Divisional Officers (Civil) and Extra Assistant Commissioners (E.A.C). There are seventy-six (76) Rural Development Blocks headed by a Block Development Officer. There are seven (7) Census towns. The State Capital Kohima is situated at an altitude of 1,444 metres. Dimapur city is the main commercial hub which is linked by Rail Road and Air.

As per the Survey on Number of Villages in Nagaland 2021, Nagaland has a total of 1355 villages and 111 hamlets as on 1<sup>st</sup> March, 2021. Out of the total villages, 1309 villages are recognized by the Government of Nagaland as on 31<sup>st</sup> December, 2024.

Other general information of the State as per 2011 Census of India is as under:

1.	Population	1978502
2.	i. Males	1024649
	ii. Females	953853
	iii. Urban Population	570966
	iv. Rural Population	1407536
3.	Growth rate	-0.58
4.	Sex- ratio (female per 1000 males)	931
5.	Literate population	1342434
6.	Percentage of literacy	79.6
7.	Density of population (per sq. Km)	119
8.	Number of villages (inhabited)	1400 as per 2011 Census
9.	Official language	English
10.	Highest Peak	Mount Saramati (3840 metres)
11.	Tribes:	Angami, Ao, Chakhesang, Chang, Khamniungan, Kuki, Konyak, Kachari, Lotha, Phom, Pochury, Rengma, Sumi, Sangtam, Yimkhiung, Zeliang and Tikhir (recognized on 20 <sup>th</sup> January 2022)

### **1.3 ADMINISTRATIVE SET UP OF THE REGISTRATION MACHINERY AT VARIOUS LEVELS**

The revamped Model Registration of Births & Deaths Rules, 1999 introduced by the Government of India was adopted in the State which was notified through the Gazette Notification dated 30-9-2000 and thereby introduced the “Nagaland Registration of Births & Deaths (Amendment) Rules 1999 replacing the State RBD Rules 1972.

The Directorate of Economics & Statistics has been functioning as the Nodal department for implementation of the Registration of Births & Deaths scheme in the State since 1974.

The Registration hierarchy in the State at various levels as under:

**A. STATE LEVEL:**

- |   |  |
|---|--|
| 1. Chief Registrar of Births & Deaths       | - Secretary to the Govt. of Nagaland, Economics & Statistics |
| 2. Addl. Chief Registrar of Births & Deaths | - Director of Economics & Statistics                         |
| 3. Joint Registrar of Births & Deaths       | - Additional Director, Economics & Statistics                |
| 4. Deputy Registrar of Births & Deaths      | - Deputy Director of Economics & Statistics.                 |

**B. DISTRICT LEVEL**

- |  |  |
|--|--|
| 1. District Chief Registrar of Births & Deaths | - Deputy Commissioner concerned          |
| 2. District Registrar of Births & Deaths       | - District Statistical Officer concerned |
| 3. Circle Registrar of Births & Deaths         | - Concerned SDEO of the Jurisdiction     |

**C. LOCAL LEVEL**

- |   |  |
|---|--|
| 1. Registrar of Births & Deaths in Rural areas  | - Head Teacher of Govt. Primary School (Concerned) |
| 2. Registrar of Births & Deaths in Urban areas- | Inspector of Statistics/ Field Investigator        |
| 3. Military/Para Military areas                 | - Organizational Officer                           |
| 4. Medical Institutions (Govt./Private)         | -  |
| i) District Hospitals- Nursing Superintendent   |  |
| ii) Community Health Centre- Nursing in-charge  |  |
| iii) Primary Health Centres- Nursing in-charge  |  |

(Vide Notification No. HFW-28/B/8/2011 Dt. 12 August 2014)

**1.4 REGISTRATION CENTRES**

There are 1474 registration centers functioning in the State as of 31<sup>st</sup> December, 2024. Out of these 1447 are in the rural areas (including 119 PHCs and 19 CHCs) and 27 in the urban areas (including 11 district hospitals).

**(1) Rural Registration centers:** In the Rural Areas, a registration unit has been set up in each recognized village of the State, manned by the Head Teacher of Government Primary School as the Registrar of Births & Deaths for their concerned village with effect from 1-12-2006. A registration unit is set up in PHCs and CHCs to register the events occurring in these medical institutions.

**(2) Urban Registration centers:** In the Urban Areas (District Headquarters) a Registration Unit has been set up in the office of the District Registrar of Births & Deaths (District Economics and Statistics Officer). Besides, a registration unit has also been opened in all the Govt. District Hospitals for registering all vital events occurring in Medical Institutions.

The Department of Economics & Statistics has attached Statistical staff at the rank of Inspector of Statistics and Field Investigator to function as the Registrar of Births and Deaths in the Urban Registration units.

## **1.5 REGISTRATION PROCEDURE:**

Events are registered as per the rules provided in the various sections of the Act by the Registrars concerned. According to the Section 8 and 9 of the Registration of Births & Deaths Act 1969, Birth, Death and Still Birth can be registered only by the Registrar of the area of the place of its occurrence. Events that occurred in Urban and Rural area can be registered at the following places.

**(1) Urban Area:** In Urban area events can be registered in the concerned District Registrar's office/ Municipal Offices and Medical Institutions where registration centers had been set up.

In urban areas, head of the household in case of domiciliary event and in-charge of institution in case of institutional events, are responsible to report the vital events to the concerned Registrar.

Events occurring in Government Medical Institutions will be registered in the institution itself with the Registrar of Births & Deaths attached to the concerned Institution.

**(2) Rural Areas:** In rural areas, vide Notification No.ES/RBD-8/04/2003 dated 7/7/2003, the Village Council Chairman, Gaonburas, Anganwadi workers and Dhai workers has been made responsible to further report these events to the village Registrar. Events can also be reported directly to the Registrar by the head of the household. The ASHA's has been designated as Notifiers of Births & Deaths under notification No.NRHM/NL/15-15/CRS/2012-13/3521 dated 19<sup>th</sup> November 2012.

## **1.6 INTER-DEPARTMENTAL CO-ORDINATION COMMITTEE**

State Level Inter-Departmental Coordination Committee (IDCC) on Registration of Births and Deaths was held on 3<sup>rd</sup> October, 2024 in the Mini Conference Hall of the Directorate of Economics & Statistics, Nagaland, Kohima.

**A. State Level Co-ordination Committee on Registration of Births & Deaths**

1. Commissioner & Secretary, Economics & Statistics and Chief Registrar of Births & Deaths, Nagaland, Kohima. - Chairperson
2. Director of Economics & Statistics & Addl. Chief Registrar of Births & Deaths, Nagaland, Kohima. - Member Secretary
3. Director, Rural Development, Nagaland, Kohima. - Member
4. Director, Census Operations, Nagaland, Kohima. - Member
5. Principal Director, Health & family Welfare, Nagaland, Kohima. - Member
6. Director of Information & Public Relations, Nagaland, Kohima - Member
7. Director of School Education, Nagaland, Kohima. - Member
8. Director, Social Security & Welfare, Nagaland, Kohima. - Member
9. Addl. Director, Economics & Statistics and Joint Chief Registrar of Births & Deaths - Member
10. Deputy Director, Economics & Statistics & Deputy Chief Registrar of Births & Deaths, Nagaland, Kohima. - Member

**B. District Level Co-ordination Committee of Births & Deaths**

1. Deputy Commissioner & District Chief Registrar of Births & Deaths - Chairman
2. District Economics and Statistical Officer and District Registrar of Births & Deaths - Member Secretary
3. District Medical Superintendent/ Civil Surgeon - Member
4. District Education Officer - Member
5. District Information & Public Relation Officer - Member

**1.7 MEDICAL CERTIFICATION OF CAUSE OF DEATH**

Medical Certification of causes of Death has been implemented under section 10(3) of Registration of Births & Deaths Act 1969 (amended in 2023). The scheme on Medical Certification of causes of Death has been introduced in the year 1976 in Nagaland. This Scheme is presently being implemented only in the urban areas of the state, where majority of the medical institutions are functioning. At present, eleven (11) Government hospitals are covered under the scheme.

Medical Institutions functioning in the rural areas are not yet covered under MCCD. In these institutions though the treatment is available, deaths reported are almost negligible. It may be due to the fact that, the most serious patients are referred from rural institutions to urban institutions, in the absence of proper treatment facilities.

## 1.8 TRAINING ON MEDICAL CERTIFICATION OF CAUSE OF DEATH

No training on Medical Certification of Cause of Death was conducted in 2024.

## 1.9 ISSUE OF BIRTH & DEATH CERTIFICATES

The extract from birth and death register is issued in Form No. 5 and 6 respectively under Section 12 and 17 of the Registration of Births & Deaths Act 1969 (amended in 2023). Prescribed fee is however charged for the issue of such extract as per Rule 9 of the Nagaland Registration of Births & Deaths Rules 1999. Registrars of both rural and urban areas are directed to issue certificate under Section 12 to each and every informant reporting the event, on time.

### Delayed Registration:

SL. No.	Time limit for delayed registration	Formalities needed to observed	Late fee
1	1 to 21 days of occurrence	-	Free registration
2	21 - 30 days of occurrence	Permission of the Registrar	Rs 10/-
3	After 30 days but within one year of occurrence	Production of an affidavit made before a notary public, inquiry report of the concerned Registrar, prove of date of birth/death, residence proof.	Rs 20/-
4	After one year of occurrence	1. An order of the first class Magistrate or a presidency Magistrate.	Rs 30/-
		2. Inquiry report of the concerned Registrar, Proof of date of birth, residence proof.	

Section 13 of RBD Act 1969 and Under Rule 9(1) (2) (3) of the Nagaland Registration of Births & Deaths (Amendment) Rules 1999 lays down the procedure for registration of vital events reported after the expiry of stipulated normal reporting period which are as below:

- Any birth or death of which information is given to the Registrar after the expiry of the period specified therefore, but within thirty days of its occurrence, shall be registered on payment of such late fee as may be prescribed. [Rule 9(1)]

- Any birth or death of which delayed information is given to the Registrar after thirty days but within one year of its occurrence shall be registered only with the written permission of the prescribed authority and on payment of the prescribed fee and the production of an affidavit made before a notary public or any other officer authorized in this behalf by the State Government. [Rule 9(2)]
- Any birth or death which has not been registered within one year of its occurrence shall be registered only on an order made by a magistrate of the first class after verifying the correctness of the birth or death and on payment of the prescribed fee. [Rule 9(3)]

### **1.10 MAINTENANCE AND RECORDS**

The local Registrars are required to maintain the record of all births, deaths and still births in bound registers. Every year on the first of January, new bound registers are opened by the local Registrars. The registers related to rural registration centers are transferred to the District Registrar's Office for maintaining records on permanent basis after the close of the year. The births and deaths records are maintained in digital form in the district offices.

### **1.11. PUBLICITY**

The Department has been taking various steps for publicizing on the importance of Registration of Births & Deaths, which were exhibited to the public in the form of Posters, Pamphlets, Newspaper ads and TV ads with the messages of Births & Deaths. More Publicity Campaigns on Registration of Births & Deaths is required to create awareness on the importance of Registration of Births & Deaths.

### **1.12 TRAINING**

A one day Training of Trainers (ToT) on the “**Revamped CRS ORGI Portal**” was conducted in the Directorate Conference Hall on 6<sup>th</sup> May, 2024 with officials from the Office of the Registrar General of India (ORGI) as resource persons to train the district officials as resource person for subsequent training of Registrars of Births & Deaths in their respective districts.

The Directorate of Economics and Statistics also conducted training on Online Registration of Births and Deaths for the Registrars of Births and Deaths in all the districts during 2024 with an aim to digitize the issuance of births and deaths certificates through CRS-ORGI portal in all urban and rural areas of the state.

### **1.13 PRINTING OF FORMS & REGISTER**

During the year 2024, the forms and certificates and register of births, deaths and still births were made available in time and in sufficient quantity, to all the Registration centers both in the rural and urban areas through the District Registrars (DESOs).

### 1.14 PROSECUTION AND COMPOUNDING OFFENCES

There was no report on prosecution of compounding during 2024.

### 1.15 DIFFICULTIES ENCOUNTERED IN IMPLEMENTATION OF THE ACT

Implementation of the Registration of Birth & Deaths in the State is hindered by the following factors:

1. Inadequate postal facilities.
2. Inadequate transportation/communication facilities.
3. Lack of awareness about the importance and procedure of Civil Registration System.
4. Lack of remuneration for CRS functionaries.
5. Delay in submission of reports by Registrars.
6. Inadequate funding for the implementation of Civil Registration System.

### 1.16 COMPARATIVE ACHIEVEMENT

Births & Deaths registered in Rural and Urban areas of the State for the last 5 (Five) years have been presented in the following table:

SL. NO.	YEAR	AREA	Number of Births	Number of Deaths
			Registered	Registered
1	2020	Rural	28306	652
		Urban	17773	1857
		<b>Total</b>	<b>46079</b>	<b>2509</b>
2	2021	Rural	36976	624
		Urban	28012	3156
		<b>Total</b>	<b>64988</b>	<b>3780</b>
3	2022	<b>Rural</b>	<b>46198</b>	<b>797</b>
		<b>Urban</b>	<b>34615</b>	<b>3013</b>
		<b>Total</b>	<b>80813</b>	<b>3810</b>
4	2023	<b>Rural</b>	<b>36467</b>	<b>898</b>
		<b>Urban</b>	<b>29102</b>	<b>3036</b>
		<b>Total</b>	<b>65569</b>	<b>3934</b>
5	2024	<b>Rural</b>	<b>33870</b>	<b>785</b>
		<b>Urban</b>	<b>27349</b>	<b>2422</b>
		<b>Total</b>	<b>61219</b>	<b>3207</b>

### **1.17 INFORMATION IN RESPECT OF ISSUANCE OF EXTRACT/ CERTIFICATE UNDER SECTION 12 AND 17 OF RBD ACT, 1969**

61219 Birth Certificates and 3207 Death Certificates under section 12 were issued in 2024. Issuance of extract under section 17 is nil.

### **1.18 COMPUTERISATION**

- (a) Online registration of births and deaths through CRS ORGI portal was launched in the state on 19<sup>th</sup> April, 2022.
- (b) Births & Deaths data is compiled digitally in every district headquarter.
- (c) Currently the Registration units in the village/block level are functioning manually but efforts are being made through training for digitization of CRS in the rural areas.
- (d) The department has taken concrete steps to upgrade the ICT (Information and Communications Technology) capability of the district headquarters for implementation of online registration of births and deaths through ORGI portal.

### **1.19 CONCLUSION**

For the successful implementation of the provisions of Registration of Births & Deaths, efforts are being undertaken to impart trainings on the RBD Act and online registration of births and deaths at regular intervals to the Registrars of Births and Deaths. In all the training programmes, Registrars have shared their grievances regarding lack of basic IT equipments and honorarium, which needs to be addressed. Large scale publicity campaign on the importance of Registration of Births and Deaths are required to create awareness among the people especially in the rural and remote areas of the state for which financial assistance is needed. There is the need to resolve the problem of timely submission of reports from the Registration units especially for Registration units located in remote areas of the state where transportation facilities and internet connectivity are lacking, which affects the timeliness and quality of the statistical data.



## ANALYSIS OF VITAL EVENTS – LIVE BIRTHS

### 2.1 REGISTERED LIVE BIRTHS.

A total of 61219 births were registered in the state during 2024 of which 30961 were male and 30258 were female, as shown in Table 2.1.

**Table 2.1. Live Births by Sex**

Sex	Live Births	Percentage
Male	30961	50.57%
Female	30258	49.43%
Total	61219	100.00%

Chart 2.1 shows the percentage of live births by sex. During the year 2024, 50.57 percent of the birth registered were male while 49.43 percent were female.

**Chart 2.1. Live Births by Sex**




Table 2.2 shows that out of the total 61219 live births registered, 33870 births were registered in rural areas and 27349 births were registered in urban areas.

**Table 2.2. Live Births by Area**

Area	Live Births	Percentage
Rural	33870	55.33%
Urban	27349	44.67%
<b>Total</b>	<b>61219</b>	<b>100.00%</b>

Chart 2.2 shows the percentage of live births by area, where 55.33 percent of the births registered were in rural areas and 44.67 percent were registered in urban areas.

**Chart 2.2. Live Births by Area**





Table: 2.3 shows the live births by sex and area in 2024. Out of the total 33870 rural live births registered, 17401 are male and 16469 are female. In the urban areas, 27349 live births were registered out of which 13560 are male and 13789 are female.

**Table 2.3. Live Births by Sex and Area**

Particulars	Male	Female	Total
Rural	17401	16469	33870
Urban	13560	13789	27349
<b>Total</b>	<b>30961</b>	<b>30258</b>	<b>61219</b>

Chart 2.3 shows the percentage of live births registered by sex and area. In the urban areas, 49.58 percent of live births registered are female and 50.42 percent are male. Whereas in the rural areas, 48.63 percent are female and 51.37 percent are male.

**Chart 2.3. Live Births by Sex and Area**

## 2.2 MEDICAL ATTENTION RECEIVED AT THE TIME OF DELIVERY


The percentage distribution of medical attention received at the time of delivery is shown in Table 2.4. The data shows that majority of births were attended by others. Out of the total births registered during 2024, 43.75 percent of births were attended by others, 27.18 percent of births were attended by untrained mid-wife, 10.54 percent were attended by physician/nurse and trained mid-wife and 18.53 percent were institutional births. Majority of the institutional births occurred in urban areas. The pictorial presentation of percentage distribution medical attention received at the time of

delivery is given separately for Rural area, Urban town with population 30000 above and urban areas in the following Charts 2.4, 2.5 and 2.6 respectively.


**Table 2.4. Percentage Distribution of Live Births by Type of Delivery Attention during 2024**

Rural \ Urban \ Total	Institutional	Physician/Nurse and Trained Mid-wife	Untrained Mid-wife	Others	Total
<b>Rural</b>	10.46%	9.68%	24.19%	55.67%	100%
<b>Urban Town with population 30,000 above</b>	26.00%	12.61%	31.65%	29.74%	100%
<b>All other Urban areas</b>	42.53%	6.00%	26.61%	24.86%	100%
<b>Total</b>	<b>18.53%</b>	<b>10.54%</b>	<b>27.18%</b>	<b>43.75%</b>	<b>100.00%</b>


**Chart 2.4. Percentage Distribution of Live Births by Type of Delivery Attention in Rural Areas during 2024**



**Chart 2.5. Live Births by Type of Delivery Attention in Urban Towns with population 30,000 above during 2024**



**Chart 2.6. Live Births by Type of Delivery Attention in all other Urban Areas during 2024**




## 2.3 LIVE BIRTHS BY RELIGION

Table 2.5 shows the district wise data of live births by religion registered during 2024 in percentage terms. It is observed that across all the eleven districts, out of the total live births registered, majority are Christians.

**Table 2.5. District wise Percentage Distribution of Live Births by Religion during 2024 (in percentage)**

Sl. No.	District	Christians	Hindus	Muslims	Others	Total
1	Kohima	94.28%	4.12%	1.50%	0.10%	100%
2	Phek	99.21%	0.75%	0.00%	0.04%	100%
3	Mokokchung	94.89%	4.25%	0.21%	0.65%	100%
4	Wokha	89.77%	6.89%	3.34%	0.00%	100%
5	Zunheboto	99.45%	0.39%	0.16%	0.00%	100%
6	Tuensang	99.71%	0.17%	0.08%	0.04%	100%
7	Mon	99.77%	0.18%	0.05%	0.00%	100%
8	Dimapur	77.43%	15.68%	6.61%	0.28%	100%
9	Peren	76.84%	2.17%	20.05%	0.93%	100%
10	Longleng	99.23%	0.61%	0.15%	0.00%	100%
11	Kiphire	99.75%	0.08%	0.16%	0.00%	100%
<b>Nagaland(Total)</b>		<b>91.15%</b>	<b>5.60%</b>	<b>3.07%</b>	<b>0.17%</b>	<b>100%</b>

Chart 2.7 shows the percentage distribution of live births registered in the state classified based on religion during 2024. The majority i.e. 91.15 percent of the live births were Christians followed by 5.60 percent Hindus, 3.07 percent Muslims and 0.17 percent belonging to other religions.


**Chart 2.7. Percentage Distribution of Live Births by Religion during 2024**

## 2.4 LIVE BIRTHS BY MONTH

Table 2.6 shows the live births registered by month during 2024 in Nagaland. During the year, the highest number of births (12.29 percent) were registered in the month of February, while the lowest live births were registered in the month of December (3.63 percent). Chart 2.8 is a pictorial representation of the percentage of live births registered in the state, classified on the basis of the month in which the live births were registered.

**Table 2.6. Live Births by Month during 2024**

Months	Total Live Births	% of total Live Births
<b>January</b>	6642	10.85%
<b>February</b>	7521	12.29%
<b>March</b>	6210	10.14%
<b>April</b>	4978	8.13%
<b>May</b>	5656	9.24%
<b>June</b>	4389	7.17%
<b>July</b>	5225	8.53%
<b>August</b>	4236	6.92%
<b>September</b>	6771	11.06%
<b>October</b>	3802	6.21%
<b>November</b>	3569	5.83%
<b>December</b>	2220	3.63%
<b>Total</b>	<b>61219</b>	<b>100.00%</b>

**Chart 2.8. Live Births by Month during 2024**

## 2.5 LIVE BIRTHS BY AGE OF MOTHER AND BIRTH ORDER

Table 2.7 below presents the distribution of live births by age of mother and birth order in rural areas. In the reproductive age group of 15-49, highest number of live births were reported for the mothers in the age group of 25-29 (32.61 percent), followed by the age group 20-24 (28.23 percent) and thereafter it declined gradually with increase in age.

**Table 2.7. Percentage Distribution of Live Births by Age of Mother and Birth Order in Rural Areas during 2024**

Birth Order	Age of Mother									All Ages
	Below 15 Years	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Age Not Stated	
1	0.00%	1.10%	12.51%	6.81%	2.37%	0.65%	0.10%	0.03%	0.44%	24.02%
2	0.00%	0.53%	7.73%	9.06%	3.24%	0.98%	0.14%	0.05%	0.21%	21.94%
3	0.00%	0.36%	3.99%	7.88%	4.09%	1.35%	0.19%	0.05%	0.18%	18.09%
4	0.00%	0.26%	1.43%	4.57%	4.54%	1.50%	0.27%	0.05%	0.17%	12.79%
5	0.00%	0.14%	0.94%	1.96%	3.36%	1.39%	0.21%	0.08%	0.12%	8.19%
6	0.00%	0.15%	0.70%	1.00%	1.80%	1.34%	0.17%	0.06%	0.11%	5.32%
7	0.00%	0.05%	0.31%	0.54%	0.81%	0.61%	0.24%	0.05%	0.05%	2.65%
8	0.00%	0.02%	0.19%	0.33%	0.35%	0.45%	0.18%	0.05%	0.04%	1.62%
9	0.00%	0.02%	0.08%	0.10%	0.12%	0.21%	0.12%	0.09%	0.09%	0.82%
10	0.00%	0.01%	0.04%	0.04%	0.05%	0.08%	0.04%	0.16%	0.02%	0.43%
Above 10	0.00%	0.01%	0.02%	0.06%	0.02%	0.06%	0.03%	0.02%	0.02%	0.26%
Not Stated	0.00%	0.01%	0.29%	0.25%	0.17%	0.04%	0.01%	0.01%	3.07%	3.86%
<b>Total</b>	<b>0.00%</b>	<b>2.67%</b>	<b>28.23%</b>	<b>32.61%</b>	<b>20.92%</b>	<b>8.67%</b>	<b>1.69%</b>	<b>0.70%</b>	<b>4.51%</b>	<b>100.00%</b>

It is observed from Chart 2.9 that 24.02 percent of the total live births are first order births, 21.94 percent of total births are second order births and 18.09 percent are of third order births.

**Chart 2.9. Percentage Distribution of Live Births by Birth Order in Rural Areas during 2024**





Table 2.8 below presents the distribution of live births by age of mother and birth order in urban areas. In the reproductive age group of 15-49, highest number of live births were reported for the mothers in the age group of 25-29 (33.29 percent), followed by the age group 30-34 (29.90 percent) and thereafter it declined gradually with increase in age.

**Table 2.8. Percentage Distribution of Live Births by Birth Order and Age of Mother in Urban Areas during 2024**

Birth Order	Age of Mother									All Ages
	Below 15 Years	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Age Not Stated	
1	0.00%	0.94%	8.41%	9.43%	5.21%	1.59%	0.33%	0.15%	0.24%	26.31%
2	0.01%	0.31%	5.17%	11.34%	8.05%	1.85%	0.40%	0.12%	0.13%	27.39%
3	0.00%	0.30%	2.46%	7.10%	7.47%	1.93%	0.39%	0.17%	0.07%	19.91%
4	0.00%	0.11%	1.36%	2.91%	4.46%	1.40%	0.32%	0.14%	0.09%	10.79%
5	0.00%	0.07%	0.63%	1.31%	2.70%	1.24%	0.21%	0.15%	0.08%	6.38%
6	0.00%	0.06%	0.34%	0.56%	1.11%	0.78%	0.15%	0.07%	0.04%	3.11%
7	0.00%	0.01%	0.20%	0.26%	0.50%	0.54%	0.10%	0.07%	0.03%	1.71%
8	0.00%	0.01%	0.11%	0.17%	0.21%	0.33%	0.15%	0.08%	0.01%	1.06%
9	0.00%	0.00%	0.07%	0.07%	0.07%	0.12%	0.04%	0.02%	0.00%	0.40%
10	0.00%	0.00%	0.01%	0.03%	0.03%	0.06%	0.02%	0.01%	0.00%	0.16%
Above 10	0.00%	0.00%	0.01%	0.00%	0.01%	0.03%	0.03%	0.01%	0.00%	0.11%
Not Stated	0.00%	0.01%	0.09%	0.11%	0.08%	0.04%	0.00%	0.03%	2.32%	2.67%
<b>Total</b>	<b>0.01%</b>	<b>1.83%</b>	<b>18.87%</b>	<b>33.29%</b>	<b>29.90%</b>	<b>9.92%</b>	<b>2.14%</b>	<b>1.02%</b>	<b>3.02%</b>	<b>100.00%</b>

It is observed from Chart 2.10 that 27.39 percent of the total live births are second order births, 26.31 percent of total births are first order births and 19.91 percent are of third order births.

**Chart 2.10. Live Births by Birth Order in Urban Areas during 2024**



## 2.6 LIVE BIRTHS BY EDUCATIONAL LEVEL OF MOTHER AND FATHER.


Table 2.9 shown below presents the percentage distribution of live births according to the level of education of father and mother in rural areas of Nagaland during 2024. While considering the educational level of mother, highest percentage of mother's educational level is in the category "Below Matriculate", followed by "Illiterate" and there after "Matriculate/Higher Secondary/Equivalent". In the case of educational level of father also, the same pattern is observed. In both the case of educational level of mother and father, percentage is very small in "Graduate and Above" categories in rural areas.

**Table 2.9. Percentage distribution of Live Births by educational level of Mother and Father in Rural Areas during 2024**

Educational level	Mother	Father
Illiterate	19.97%	17.67%
Below Matriculate	70.99%	71.59%
Matriculate/Higher Secondary/Equivalent	7.03%	8.23%
Graduate and Above	2.01%	2.51%
<b>Total</b>	<b>100.00%</b>	<b>100.00%</b>

A graphical representation of the percentage distribution of live births by educational level of mothers and fathers in rural areas during 2024 is shown in Chart 2.11 and 2.12 respectively.

**Chart 2.11. Percentage Distribution of Live Births by Educational Level of Mother in Rural Areas during 2024**



**Chart 2.12. Percentage Distribution of Live Births by Educational Level of Father in Rural Areas during 2024**





Table 2.10 shown below the percentage distribution of live births according to the level of education of father and mother in urban areas of Nagaland during 2024. While considering the educational level of mother, highest percentage of birth registered is in the category “Below Matriculate” (53.36 percent), followed by “Matriculate/Higher Secondary/Equivalent” (22.33 percent) and there after “Illiterate” (14.48 percent). In the case of educational level of father also, the same pattern is observed with highest percentage of birth registered is in the category “Below Matriculate” (48.89 percent), followed by “Matriculate/Higher Secondary/Equivalent” (25.36 percent) and there after “Illiterate” (13.70 percent).

**Table 2.10. Percentage distribution of Live Births by educational level of Mother and Father in Urban Areas during 2024**


Literacy of Mother	Mother	Father
Illiterate	14.48%	13.70%
Below Matriculate	53.36%	48.89%
Matriculate/Higher Secondary/Equivalent	22.33%	25.36%
Graduate and Above	9.83%	12.05%
<b>Total</b>	<b>100.00%</b>	<b>100.00%</b>

A graphical representation of the percentage distribution of live births by educational level of mothers and fathers in urban areas during 2024 is shown in Chart 2.13 and 2.14 respectively.

**Chart 2.13. Percentage Distribution of Live Births by educational level of Mother in Urban Areas during 2024**



**Chart 2.14. Percentage Distribution of Live Births by educational level of Father in Urban Areas during 2024**




## 2.7. LIVE BIRTH BY OCCUPATION OF FATHER.

The following table 2.11 shows the distribution of Live Birth by occupation of Father in rural areas during 2024. The data shows that in the rural areas, majority of the fathers were Non-Workers (34.38 percent) followed by “Farmers, Fishermen, Hunters, Loggers etc and Related Workers” (27.61 percent) followed by “Others whose Occupation is Not Else Where Classified” (19.89 percent). The percentage distribution of live births by occupation of father in rural areas during 2024 is shown in Chart 2.15.

**Table 2.11. Live Births by Occupation of Father in Rural Areas during 2024**

Occupation of father	Live Births	% of total live births
Professional Technical & Related Workers	196	0.58%
Administrative Executive & Managerial Workers	126	0.37%
Clerical Workers	315	0.93%
Sales Workers	430	1.27%
Farmers, Fishermen, Hunters, Loggers etc and Related Workers	9351	27.61%
Production & Other Related workers Transport Equipment Operators & Labourers	330	0.97%
Others whose Occupation is Not Else Where Classified	6737	19.89%
Non-Workers	11646	34.38%
Service Workers	4739	13.99%
Total	<b>33870</b>	<b>100.00%</b>


**Chart 2.15. Percentage Distribution of Live Births by Occupation of Father in Rural Areas during 2024**

The following table 2.12 and Chart 2.16 presents the distribution of Live Births by occupation of Father in urban areas during 2024. As observed from the table, in the urban areas, majority of the fathers were engaged in “Farmers, Fishermen, Hunters, Loggers etc and Related Workers”(25.79 percent) followed by “non-workers” (21.48 percent).

**Table 2.12. Live Births by Occupation of Father in Urban Areas during 2024**

Occupation of father	Live Births	% of total live births
Professional Technical & Related Workers	124	0.45%
Administrative Executive & Managerial Workers	206	0.75%
Clerical Workers	719	2.63%
Sales Workers	3701	13.53%
Farmers, Fishermen, Hunters, Loggers etc and Related Workers	7053	25.79%
Production & Other Related workers Transport Equipment Operators & Labourers	1215	4.44%
Others whose Occupation is Not Else Where Classified	4304	15.74%
Non-Workers	5874	21.48%
Service Workers	4153	15.19%
<b>Total</b>	<b>27349</b>	<b>100.00%</b>

**Chart 2.16. Percentage Distribution of Live Births by Occupation of Father in Urban Areas during 2024**




## 2.8. TIME GAP IN REGISTRATION OF LIVE BIRTHS

The registered births have been classified in four categories depending upon their period of registration. The four time periods considered for the purpose are: i) within time limit (up to 21 days), ii) After 21 days but within 30 days, iii) After 30 days but within 1 year, iv) More than 1 year. Under the RBD Act 1969, all vital events are to be registered within 21 days from the date of occurrence of the event. The percentage of registration achieved out of total registration undertaken in the year 2024 within the prescribed time limit (up to 21 days) is only 1.32 percent in the state as shown in Table 2.13. As per area wise, registration within prescribed time limit is 0.73 percent in rural area (Table 2.14) and 1.99 percent in urban areas (Table 2.15). During the year 2024, 98.67 percent births registered were reported as delayed registration (Table 2.13). In the case of rural area, it is 99.27 percent (Table 2.14), whereas in urban area, delayed registration reported is 98.01 percent (Table 2.15). District wise details of time gap in registration of live births are given in Table 19 (I), 19(II) and 19(III).

**Table 2.13. Time Gap in Registration of Live Births in Nagaland during 2024**

<i>Delayed Registration</i>	<i>Total Live Births</i>	<i>% of total Live Births</i>
Within Time Limit	811	1.32%
Within 30 Days	497	0.81%
After 30 days but Within 1 Year	2219	3.62%
After 1 year	57692	94.24%
<b>Total</b>	<b>61219</b>	<b>100.00%</b>


**Chart 2.17. Percentage Distribution of Time Gap in Registration of Live Births in Nagaland during 2024**



**Table 2.14. Time Gap in Registration of Live Births in Rural Areas during 2024**

<i>Delayed Registration</i>	<i>Total Live Births</i>	<i>% of total Live Births</i>
Within Time Limit	248	0.73%
Within 30 Days	244	0.72%
After 30 days but Within 1 Year	681	2.01%
After 1 year	32697	96.54%
<b>Total</b>	<b>33870</b>	<b>100.00%</b>


**Chart 2.18. Percentage Distribution of Time Gap in Registration of Live Births in Rural Areas during 2024**



**Table 2.15. Time Gap in Registration of Live Births in Urban Areas during 2024**

<i>Delayed Registration</i>	<i>Total Live Births</i>	<i>% of total Live Births</i>
Within Time Limit	543	1.99%
Within 30 Days	269	0.98%
After 30 days but Within 1 Year	1564	5.72%
After 1 year	24973	91.31%
<b>Total</b>	<b>27349</b>	<b>100.00%</b>

**Chart 2.19. Time Gap in Registration of Live Births in Urban Areas during 2024**



## ANALYSIS OF VITAL EVENTS – DEATHS


### 3.1 REGISTERED DEATHS.

Table 3.1 shows the registered deaths by sex during 2024. Out of the total 3207 deaths registered, 2218 (69.16 percent) are male and 989 (30.84 percent) are female. The Percentage Distribution of Registered Deaths by Sex during 2024 is seen in Chart 3.1.

**Table 3.1 Registered Deaths by Sex during 2024**

Sex	Registered Deaths	% of Total Registered Deaths
Male	2218	69.16%
Female	989	30.84%
<b>Total</b>	<b>3207</b>	<b>100.00%</b>

**Chart 3.1 Percentage Distribution of Registered Deaths by Sex during 2024**




The following Table 3.2 presents the registered deaths area wise during 2024. Out of the total deaths registered, 785 (24.48 percent) were in rural areas and 2422 (75.52 percent) were in urban areas.

**Table 3.2. Registered Deaths by Area during 2024**

Area	Registered Deaths	% of Total Registered Deaths
Rural	785	24.48%
Urban	2422	75.52%
<b>Total</b>	<b>3207</b>	<b>100.00%</b>

**Fig 3.3. Registered Deaths by Area during 2024**



### 3.2 MEDICAL ATTENTION RECEIVED AT THE TIME OF DEATH


The percentage distribution of medical attention received at the time of death is shown in Table 3.3. The data shows that majority of deaths were attended by qualified medical practitioner. Out of the total deaths registered during 2024, 34.21 percent of deaths were institutional, 24.26 percent deaths attended by qualified medical practitioner (other system), 23.42 percent deaths were attended by others and 18.12 percent of deaths were attended by qualified medical practitioner (Allopathic). A

pictorial presentation of percentage distribution of medical attention received at the time of death is given separately for Rural area, Urban town with population 30000 above and urban areas is seen in Charts 3.4.

**Table 3.3. Percentage Distribution of Registered Deaths by Area and Type of Medical Attention Received During 2024**

Area	Institutional	Qualified Medical Practitioner (Allopathic)	Qualified Medical Practitioner (Other system)	Others Specify	Total
Rural	23.57%	25.10%	24.46%	26.88%	100.00%
Urban Town with Population 30,000 above	36.11%	17.29%	26.29%	20.31%	100.00%
All other Urban Areas	54.73%	0.00%	1.00%	44.28%	100.00%
<b>Nagaland Total</b>	<b>34.21%</b>	<b>18.12%</b>	<b>24.26%</b>	<b>23.42%</b>	<b>100.00%</b>

**Chart 3.4. Percentage Distribution Of Registered Deaths By Area And Type Of Medical Attention Received During 2024**



### 3.3 REGISTERED DEATHS BY AREA AND AGE


Table 3.4 shows the number of Registered Deaths by area and age during 2024. In both rural and urban areas, majority of the deaths occurred within the age group of “70 and above” followed by “55-64” age group.

**Table 3.4. Number of Registered Deaths by Area and Age During 2024**

Age	Rural	Urban	Nagaland
Below 1 Year	1	0	1
1-4 Yrs.	0	31	31
5-14	4	16	20
15-24	10	39	49
25-34	36	178	214
35-44	82	375	457
45-54	104	462	566
55-64	128	478	606
65-69	62	189	251
70 and above	278	573	851
Age not stated	80	81	161
<b>Total of all Ages</b>	<b>785</b>	<b>2422</b>	<b>3207</b>

A graphical representation of the Percentage Distribution of Registered Deaths by Area and Age During 2024 is shown in Chart 3.5. It is observed from the chart below that, in both rural and urban areas, majority of the deaths occurred within the age group of “70 and above” with 35.41 percent in rural areas, 24 percent in urban areas and 27 percent in the state.

**Chart 3.5. Percentage Distribution of Registered Deaths by Area and Age During 2024**




### 3.4 REGISTERED DEATHS BY RELIGION

Table 3.5 presents the number and percentage of deaths registered based on religion. During 2024, 85.59 percent of the deaths registered were Christians, followed by 11.60 percent Hindus and 2.49 percent Muslims. Chart 3.6 shows the percentage distribution of registered deaths by religion during 2024.

**Table 3.5. Number of Registered Deaths by Religion During 2024**

Religion	Registered Deaths	% of Total Registered Deaths
Christians	2745	85.59%
Hindus	372	11.60%
Muslims	80	2.49%
Others	10	0.31%
<b>Total</b>	<b>3207</b>	<b>100.00%</b>

**Chart 3.6. Percentage Distribution of Registered Deaths by Religion During 2024**



### 3.5 REGISTERED DEATHS BY MONTH

Table 3.6 shows the number of deaths registered by month during 2024 in Nagaland. During the year, the highest number of deaths (11.10 percent) were registered in the months of July, while the lowest number of deaths were registered in the month of December (2.90 percent). Chart 3.7 is a pictorial representation of the percentage of deaths registered in the state, classified on the basis of the month in which the deaths were registered.

**Table 3.6. Number of Registered Deaths by Month During 2024**

Months	Registered Deaths	% of Total Registered Deaths
January	274	8.54%
February	346	10.79%
March	278	8.67%
April	264	8.23%
May	341	10.63%
June	287	8.95%
July	356	11.10%
August	303	9.45%
September	246	7.67%
October	216	6.74%
November	203	6.33%
December	93	2.90%
<b>Total</b>	<b>3207</b>	<b>100.00%</b>

**Chart 3.7. Percentage distribution of Registered Deaths by Month During 2024**



### 3.6 REGISTERED DEATHS BY OCCUPATION


The following Table 3.7 presents the percentage distribution of registered deaths by occupation during 2024. Out of the total deaths registered in the state, 30.31 percent were non-workers, while 69.69 percent were engaged in an occupation of which majority were engaged “Other Whose Occupation is Not Else Where Classified”, followed by “Service Workers”.

As per area wise, in rural areas, 36.82 percent of death registered were “Other Whose Occupation is Not Else Where Classified”, followed by “non-workers”. However, in urban areas, 30.72 percent of death registered were “non-workers”, followed by “Other Whose Occupation is Not Else Where Classified”.

**Table 3.7. Percentage distribution of Registered Deaths by Occupation During 2024**

Occupation	Rural	Urban	Nagaland
Professional Technical & Related Workers	1.53%	0.78%	0.97%
Administrative Executive & Managerial Workers	0.89%	1.20%	1.12%
Clerical Workers	5.35%	5.66%	5.58%
Sales Workers	0.51%	5.70%	4.43%
Farmers, Fishermen, Hunters, Loggers etc. and Related Workers	11.21%	6.52%	7.67%
Production & Other Related Workers Transport Equipment Operators & Labourers	2.04%	9.58%	7.73%
Other Whose Occupation is Not Else Where Classified	36.82%	25.39%	28.19%
Non-Workers	29.04%	30.72%	30.31%
Service Workers	12.61%	14.45%	14.00%
<b>Total</b>	<b>100.00%</b>	<b>100.00%</b>	<b>100.00%</b>

Chart 3.8 shows the area wise Percentage distribution of Registered Deaths by Occupation During 2024.

**Chart 3.8. Percentage distribution of Registered Deaths by Occupation During 2024**

### 3.7. TIME GAP IN REGISTRATION OF DEATHS


The registered deaths have been classified in four categories depending upon their period of registration. The four time periods considered for the purpose are: i) within time limit (up to 21 days), ii) After 21 days but within 30 days, iii) After 30 days but within 1 year, iv) More than 1 year. Under the RBD Act 1969, all vital events are to be registered within 21 days from the date of occurrence of the event. The percentage of deaths registration achieved out of total registration undertaken in the year

2024 within the prescribed time limit (up to 21 days) is only 27 percent in the state as shown in Table 3.8. As per area wise, registration within prescribed time limit is 19.62 percent in rural areas and 29.77 percent in urban areas. During the year 2024, 73 percent deaths registered were reported as delayed registration. In the case of rural area, it is 80.38 percent, where as in urban areas, delayed registration reported is 70.23 percent. District wise details of time gap in registration of deaths are given in Table 19 (I), 19(II) and 19(III).

**Table 3.8. Percentage distribution of Time Gap in Registration of Deaths During 2024**

<i>Delayed Registration</i>	<i>Rural</i>	<i>Urban</i>	<i>Nagaland</i>
Within Time Limit	19.62%	29.77%	27.00%
Within 30 Days	4.71%	9.50%	7.99%
After 30 days but Within 1 Year	20.89%	34.02%	30.65%
After 1 year	54.78%	26.71%	34.36%
<b>Total</b>	<b>100.00%</b>	<b>100.00%</b>	<b>100.00%</b>

**Chart 3.9. Percentage distribution of Time Gap in Registration of Deaths During 2024**





## MEDICAL CERTIFICATION OF CAUSE OF DEATH (MCCD)

### 4.1. Medically certified deaths by age and sex according to national list of tenth revision of ICD

Table 4.1 shows the Medically Certified Deaths by age and sex according to National List of Tenth Revision of ICD during 2024. A total of 508 Medically Certified Cause of Death (MCCD) reports were received during the year, of which 67.91 percent were male and 32.09 percent were female.

Majority of the deaths reported 17.51 percent were within the age group of 35-44 years, followed by 16.73 percent within the age group of 45-54 years. The least number of deaths reported were in the age groups of below 1 year and 5-14 years.

**Table 4.1. Medically certified deaths by age and sex according to national list of tenth revision of ICD during 2024**

M.G/C AT./S.C	CAUSE OF DEATH	SEX	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
I.	CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)	M	0	0	0	3	11	5	8	4	1	5	6	43
		F	0	0	1	3	6	3	4	2	0	3	1	23
		T	0	0	1	6	17	8	12	6	1	8	7	66
1	Intestinal infectious diseases (A00-A09)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	0	0	1	0	0	0	0	0	1	0	2
1	Cholera (A00)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	1	0	1

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2	Typhoid fever and paratyphoid fevers (A01)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Food poisoning (A02, A05)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Shigellosis (A03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Amoebiasis (A06)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Diarrhoea and gastroenteritis of presumed infectious origin (A09)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	0	0	1	0	0	0	0	0	0	0	1
7	Other intestinal infectious diseases (A04,A07-A08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Tuberculosis (A15-A19)	M	0	0	0	1	5	2	4	1	1	1	2	17
		F	0	0	0	2	2	2	1	0	0	2	0	9
		T	0	0	0	3	7	4	5	1	1	3	2	26
1	Respiratory tuberculosis (A15-A16)	M	0	0	0	0	3	1	1	0	1	1	1	8
		F	0	0	0	1	0	1	1	0	0	1	0	4
		T	0	0	0	1	3	2	2	0	1	2	1	12
2	Tuberculosis of nervous system (A17)	M	0	0	0	0	1	0	1	1	0	0	1	4
		F	0	0	0	0	1	0	0	0	0	0	0	1
		T	0	0	0	0	2	0	1	1	0	0	1	5

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
3	Tuberculosis of other organs & miliary tuberculosis (A18- A19)	M	0	0	0	1	1	1	2	0	0	0	0	5
		F	0	0	0	1	1	1	0	0	0	1	0	4
		T	0	0	0	2	2	2	2	0	0	1	0	9
3	Other bacterial diseases (A20-A49)	M	0	0	0	1	1	1	0	1	0	2	0	6
		F	0	0	1	0	1	0	2	1	0	1	0	6
		T	0	0	1	1	2	1	2	2	0	3	0	12
1	Plague (A20)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Leprosy (A30)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Neonatal tetanus (A33)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Other tetanus (A34-A35)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Diphtheria (A36)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Whooping cough (A37)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Meningococcal infection (A39)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
8	Septicaemia (A40-A41)	M	0	0	0	1	1	1	0	1	0	2	0	6
		F	0	0	1	0	1	0	2	1	0	1	0	6
		T	0	0	1	1	2	1	2	2	0	3	0	12
9	All other types of bacterial diseases (A21-A28,A31- A32,A38, A42-A49)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Infections with a predominantly sexual mode of transmission (A50-A64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Syphilis (A50-A53)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Other types of infections with a predominantly sexual mode of transmission (A54- A64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Viral diseases (A70-A74 & A80-B34)	M	0	0	0	1	4	2	4	1	0	0	3	15
		F	0	0	0	0	2	1	1	1	0	0	0	5
		T	0	0	0	1	6	3	5	2	0	0	3	20
1	Acute poliomyelitis (A80)	M	0	0	0	0	1	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	0	0	0	0	0	1
2	Rabies (A82)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
3	Japanese encephalitis (A83.0)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	1	0	0	0	0	0	0	1
		T	0	0	0	0	1	0	0	0	0	0	0	1
4	Other viral encephalitis (A83.1-A83.9,A84-A86)	M	0	0	0	0	1	0	1	1	0	0	1	4
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	1	1	0	0	1	4
5	Dengue fever (A90)	M	0	0	0	0	1	0	0	0	0	0	0	1
		F	0	0	0	0	0	1	0	0	0	0	0	1
		T	0	0	0	0	1	1	0	0	0	0	0	2
6	Other arthropod-borne viral fevers and viral haemorrhagic fevers (A91-A94, A96-A99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Smallpox (B03)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
8	Measles (B05)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	Acute Hepatitis B (B16)	M	0	0	0	1	0	1	2	0	0	0	1	5
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	1	0	1	2	0	0	0	1	5
10	Other viral hepatitis (B15, B17-B19)	M	0	0	0	0	0	1	1	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	1	1	0	0	0	0	2
11	Human immunodeficiency virus [HIV] disease (B20-B24)	M	0	0	0	0	1	0	0	0	0	0	1	2
		F	0	0	0	0	1	0	1	1	0	0	0	3
		T	0	0	0	0	2	0	1	1	0	0	1	5

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
12	All other types of viral diseases (A70-A74,A81, A87-A89,A95,B00-B02,B04,B06-B09 & B25-B34)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Protozoal diseases ( B50-B64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Malaria ( B50-B54)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other types of protozoal diseases ( B55-B64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Other certain infectious & parasitic diseases and late effects of infectious & parasitic diseases ( A65-A69 & A75-A79,B35-B49,B65-B99)	M	0	0	0	0	1	0	0	1	0	1	1	4
		F	0	0	0	0	1	0	0	0	0	0	1	2
		T	0	0	0	0	2	0	0	1	0	1	2	6
1	Filariasis ( B74)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Other helminthiasis ( B65-B73,B75,B77-B83)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other spirochaetal diseases and Rickettsioses (A65-A69 & A75-A79)	M	0	0	0	0	1	0	0	1	0	1	1	4
		F	0	0	0	0	1	0	0	0	0	0	1	2
		T	0	0	0	0	2	0	0	1	0	1	2	6

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	All other infectious & parasitic diseases and late effects of infectious & parasitic diseases (B35-B49,B76, B85-B99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
II.	NEOPLASMS (C00-D48)	M	0	0	1	0	3	1	2	3	1	1	2	14
		F	0	0	0	0	1	3	0	1	0	1	1	7
		T	0	0	1	0	4	4	2	4	1	2	3	21
8	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	Malignant neoplasms of digestive organs (C15-C26)	M	0	0	0	0	1	0	0	1	0	0	1	3
		F	0	0	0	0	1	1	0	0	0	0	0	2
		T	0	0	0	0	2	1	0	1	0	0	1	5
1	Malignant neoplasm of oesophagus (C15)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of stomach (C16)	M	0	0	0	0	1	0	0	1	0	0	1	3
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	0	1	0	0	1	3
3	Malignant neoplasm of small intestine including duodenum (C17)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL	
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
4	Malignant neoplasm of colon (C18)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of rectosigmoid junction, rectum,anus and anal canal (C19-C21)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of liver and intrahepatic bile ducts (C22)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	1	1	0	0	0	0	0	0	2
		T	0	0	0	0	1	1	0	0	0	0	0	0	2
7	Malignant neoplasm of pancreas (C25)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Other malignant neoplasms of digestive organs (C23-C24,C26)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	M	0	0	0	0	0	0	0	0	1	1	0	1	3
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	1	1	0	1	3
1	Malignant neoplasm of larynx (C32)	M	0	0	0	0	0	0	0	0	1	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	1	0	0	0	1
2	Malignant neoplasm of trachea, bronchus and lung (C33-C34)	M	0	0	0	0	0	0	0	0	0	1	0	1	2
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	1	0	1	2

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
3	Other malignant neoplasm of respiratory and intrathoracic organs ( C30-C31, C37-C39)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
11	Malignant neoplasms of bone, mesothelial and soft tissue,skin and breast (C40-C50)	M	0	0	0	0	0	0	0	1	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	1	0	0	0	0
1	Malignant neoplasm of bone and articular cartilage (C40-C41)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant melanoma of skin ( C43)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other malignant neoplasms of skin (C44)	M	0	0	0	0	0	0	0	1	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	1	0	0	0	0
4	Malignant neoplasms of mesothelial and soft tissue (C45-C49)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of breast ( C50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
12	Malignant neoplasms of genitourinary organs (C51-C68)	M	0	0	0	0	0	0	0	0	0	0	1	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	1	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Malignant neoplasm of cervix uteri (C53)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
2	Malignant neoplasm of other and unspecified parts of uterus (C54- C55)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
3	Malignant neoplasm of ovary (C56)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
4	Malignant neoplasm of placenta (C58)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
5	Other malignant neoplasms of female genital organs (C51- C52,C57)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
6	Malignant neoplasm of prostate (C61)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
7	Other malignant neoplasms of male genital organs (C60,C62-C63)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
8	Malignant neoplasm of bladder (C67)	M	0	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	1	0	1
9	Other malignant neoplasms of urinary tract (C64-C66,C68)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
13	Malignant neoplasms of eye, brain and other parts of central nervous system ( C69- C72)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	1	0	0	0	1
		T	0	0	0	0	0	0	0	0	1	0	0	0	1
1	Malignant neoplasm of eye & adnexa (C69)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of meninges, brain and other parts of central nervous system ( C70-C72)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	1	0	0	0	1
		T	0	0	0	0	0	0	0	0	1	0	0	0	1
14	Malignant neoplasms of other and unspecified sites (C73-C80 & C97)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of other, ill-defined, secondary, unspecified and multiple sites (C73- C80 & C97)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
15	Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)	M	0	0	1	0	2	0	1	0	0	0	0	0	4
		F	0	0	0	0	0	1	0	0	0	0	0	1	2
		T	0	0	1	0	2	1	1	1	0	0	0	1	6

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Hodgkin's disease (C81)	M	0	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	1	0	0	0	0	1
2	Non-Hodgkin's lymphoma (C82-C85)	M	0	0	0	0	1	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	0	0	0	0	0	0	1
3	Multiple myeloma and malignant plasma cell neoplasms (C90)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	1	1
		T	0	0	0	0	0	0	0	0	0	0	0	1	1
4	Leukaemia (C91-C95)	M	0	0	1	0	1	0	0	0	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	1	0	1	0	0	0	0	0	0	0	2
5	Other malignant neoplasms of lymphoid, haematopoietic and related tissue (C88 & C96)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	1	0	0	0	0	0	1
		T	0	0	0	0	0	0	1	0	0	0	0	0	1
16	Carcinoma in situ (D00-D09)	M	0	0	0	0	0	1	0	1	0	0	0	0	2
		F	0	0	0	0	0	1	0	0	0	1	0	2	
		T	0	0	0	0	0	2	0	1	0	1	0	4	
1	Carcinoma in situ (D00-D09)	M	0	0	0	0	0	1	0	1	0	0	0	2	
		F	0	0	0	0	0	1	0	0	0	1	0	2	
		T	0	0	0	0	0	2	0	1	0	1	0	4	
17	Benign neoplasms (D10-D36)	M	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Leiomyoma of uterus (D25)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other benign neoplasms (D10-D24 & D26- D36)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
18	Other and unspecified neoplasm (D37-D48)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Other and unspecified neoplasm (D37-D48)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
III.	DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (D50- D89)	M	0	0	1	2	1	3	2	3	0	0	2	14
		F	0	0	0	3	2	4	2	2	2	0	1	16
		T	0	0	1	5	3	7	4	5	2	0	3	30
19	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50- D89)	M	0	0	1	2	1	3	2	3	0	0	2	14
		F	0	0	0	3	2	4	2	2	2	0	1	16
		T	0	0	1	5	3	7	4	5	2	0	3	30
1	Thalassaemia (D56)	M	0	0	0	0	0	0	1	2	0	0	0	3
		F	0	0	0	1	1	0	1	1	0	0	1	5
		T	0	0	0	1	1	0	2	3	0	0	1	8

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2	Other anaemias ( D50-D55,D57-D64)	M	0	0	1	2	1	3	1	1	0	0	1	10
		F	0	0	0	2	1	3	1	1	2	0	0	10
		T	0	0	1	4	2	6	2	2	2	0	1	20
3	All other diseases of blood and blood- forming organs ( D65-D76)	M	0	0	0	0	0	0	0	0	0	0	1	1
		F	0	0	0	0	0	1	0	0	0	0	0	1
		T	0	0	0	0	0	1	0	0	0	0	1	2
4	Certain disorders involving the immune mechanism ( D80- D89)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
IV.	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00-E89)	M	0	0	0	0	0	1	4	4	0	2	4	15
		F	1	0	0	0	1	1	3	1	1	1	0	9
		T	1	0	0	0	1	2	7	5	1	3	4	24
20	Malnutrition ( E40-E46)	M	0	0	0	0	0	0	0	0	0	0	1	1
		F	1	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	0	0	0	0	0	0	0	1	2
1	Kwashiorkor ( E40)	M	0	0	0	0	0	0	0	0	0	0	1	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	1	1
2	Nutritional marasmus ( E41)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	0	0	0	0	0	0	0	0	1
3	Other protein-energy malnutrition (E42-E46)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
21	Endocrine, other nutritional and metabolic diseases ( E00-E34 & E50-E89)	M	0	0	0	0	0	1	4	4	0	2	3	14
		F	0	0	0	0	1	1	3	1	1	1	0	8
		T	0	0	0	0	1	2	7	5	1	3	3	22
1	Disorders of thyroid gland ( E00-E07)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	1	0	0	0	0	0	0	1
		T	0	0	0	0	1	0	1	0	0	0	0	2
2	Diabetes mellitus (E10-E14)	M	0	0	0	0	0	1	3	4	0	2	3	13
		F	0	0	0	0	0	1	3	1	1	1	0	7
		T	0	0	0	0	0	2	6	5	1	3	3	20
3	All other nutritional deficiencies ( E50-E64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other endocrine and metabolic diseases (E15-E34 & E65-E89)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
V.	MENTAL AND BEHAVIOURAL DISORDERS ( F01-F99)	M	0	0	0	1	1	3	0	0	1	2	0	8
		F	1	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	1	1	3	0	0	1	2	0	9
22	Mental and behavioural disorders ( F01-F99)	M	0	0	0	1	1	3	0	0	1	2	0	8
		F	1	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	1	1	3	0	0	1	2	0	9
1	Mental and behavioural disorders due to psychoactive substance use ( F10-F19)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2	Schizophrenia, schizotypal & delusional disorders ( F20-F29)	M	0	0	0	1	1	3	0	0	1	2	0	8
		F	1	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	1	1	3	0	0	1	2	0	9
3	All other mental and behavioural disorders (F01-F09,F30-F99 )	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
VI.	DISEASES OF THE NERVOUS SYSTEM ( G00-G98)	M	0	1	0	0	1	2	0	0	1	0	0	5
		F	0	0	0	2	0	0	0	0	0	0	0	2
		T	0	1	0	2	1	2	0	0	1	0	0	7
23	Inflammatory diseases of the central nervous system ( G00-G09)	M	0	0	0	0	1	1	0	0	1	0	0	3
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	0	0	1	1	1	0	0	1	0	0	4
1	Meningitis ( G00 & G03)	M	0	0	0	0	0	1	0	0	0	0	0	1
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	0	0	1	0	1	0	0	0	0	0	2
2	Encephalitis,myelitis and encephalomyelitis (G04)	M	0	0	0	0	1	0	0	0	1	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	0	0	1	0	0	2
3	Other inflammatory diseases of the central nervous system ( G06,G08-G09)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
24	Other diseases of the nervous system ( G10-G98)	M	0	1	0	0	0	1	0	0	0	0	0	2
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	1	0	1	0	1	0	0	0	0	0	3

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Alzheimer's disease (G30)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Epilepsy (G40-G41)	M	0	1	0	0	0	1	0	0	0	0	0	2
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	1	0	1	0	1	0	0	0	0	0	3
3	All other diseases of the nervous system (G10-G25,G31,G35- G37,G43-G98)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
VII.	DISEASES OF THE EYE AND ADNEXA (H00-H59)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	1	0	0	0	0	1
25	Disease of the eye and adnexa (H00-H59)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	1	0	0	0	0	1
1	Disease of the eye and adnexa (H00-H59)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	1	0	0	0	0	1
VIII.	DISEASES OF THE EAR AND MASTOID PROCESS (H60-H95)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
26	Diseases of the ear and mastoid process (H60-H93)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Diseases of the ear and mastoid process (H60-H93)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
IX.	DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)	M	0	0	0	4	13	14	14	15	3	6	9	78
		F	0	2	0	1	7	10	4	9	3	12	5	53
		T	0	2	0	5	20	24	18	24	6	18	14	131
27	Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	M	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	
1	Acute rheumatic fever (I00-I02)	M	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	
2	Chronic rheumatic heart diseases (I05-I09)	M	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	
28	Hypertensive diseases (I10-I15)	M	0	0	0	0	2	2	2	4	0	1	4	15
		F	0	0	0	0	0	4	0	3	1	4	1	13
		T	0	0	0	0	2	6	2	7	1	5	5	28
1	Hypertensive heart disease (I11)	M	0	0	0	0	2	0	0	2	0	0	0	4
		F	0	0	0	0	0	1	0	0	0	0	0	1
		T	0	0	0	0	2	1	0	2	0	0	0	5
2	All other hypertensive diseases (I10, I12-I15)	M	0	0	0	0	0	2	2	2	0	1	4	11
		F	0	0	0	0	0	3	0	3	1	4	1	12
		T	0	0	0	0	0	5	2	5	1	5	5	23

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
29	Ischaemic heart diseases ( I20-I25)	M	0	0	0	2	5	6	4	4	1	4	5	31
		F	0	0	0	0	3	3	2	4	2	3	2	19
		T	0	0	0	2	8	9	6	8	3	7	7	50
1	Acute myocardial infarction ( I21-I22)	M	0	0	0	2	5	5	4	4	1	4	3	28
		F	0	0	0	0	2	2	2	4	2	3	2	17
		T	0	0	0	2	7	7	6	8	3	7	5	45
2	All other ischaemic heart diseases ( I20 & I23-I25)	M	0	0	0	0	0	1	0	0	0	0	2	3
		F	0	0	0	0	1	1	0	0	0	0	0	2
		T	0	0	0	0	1	2	0	0	0	0	2	5
30	Diseases of pulmonary circulation and other forms of heart disease ( I26-I51)	M	0	0	0	1	6	3	4	6	2	1	0	23
		F	0	2	0	1	4	2	0	1	0	4	2	16
		T	0	2	0	2	10	5	4	7	2	5	2	39
1	Pulmonary heart disease and diseases of pulmonary circulation ( I26-I28)	M	0	0	0	1	6	3	4	6	2	0	0	22
		F	0	2	0	1	4	1	0	1	0	4	2	15
		T	0	2	0	2	10	4	4	7	2	4	2	37
2	Other forms of heart diseases ( I30-I51)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	1	0	0	0	0	0	1
		T	0	0	0	0	0	1	0	0	0	1	0	2
31	Cerebrovascular diseases ( I60-I69)	M	0	0	0	1	0	3	4	1	0	0	0	9
		F	0	0	0	0	0	1	2	1	0	1	0	5
		T	0	0	0	1	0	4	6	2	0	1	0	14
1	Cerebrovascular diseases ( I60-I69)	M	0	0	0	1	0	3	4	1	0	0	0	9
		F	0	0	0	0	0	1	2	1	0	1	0	5
		T	0	0	0	1	0	4	6	2	0	1	0	14

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
32	Other diseases of the circulatory system (I70-I99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Atherosclerosis (I70)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Arterial embolism and thrombosis (I74)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other diseases of arteries, arterioles & capillaries (I71-I73 & I77-I78)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	All other diseases of the circulatory system (I83-I99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
X.	DISEASES OF THE RESPIRATORY SYSTEM (J00-J98)	M	2	1	0	3	3	6	9	3	3	7	4	41
		F	2	2	2	2	3	2	3	2	1	1	2	22
		T	4	3	2	5	6	8	12	5	4	8	6	63
33	Diseases of the upper respiratory tract (J00-J06 & J30-J39)	M	1	1	0	1	0	1	0	0	0	0	0	4
		F	0	0	0	0	0	0	0	0	1	0	0	1
		T	1	1	0	1	0	1	0	0	1	0	0	5

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Acute pharyngitis and acute tonsillitis (J02-J03)	M	1	0	0	1	0	0	0	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	1	0	1
		T	1	0	0	1	0	0	0	0	0	1	0	3
2	Acute laryngitis and tracheitis (J04)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other acute upper respiratory infections (J00-J01 & J05-J06)	M	0	0	0	0	0	1	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	1	0	0	0	0	0	1
4	All other diseases of upper respiratory tract (J30-J39)	M	0	1	0	0	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	1	0	0	0	0	0	0	0	0	0	1
34	Lower respiratory diseases (J20-J22 & J40-J47)	M	0	0	0	0	1	2	4	2	1	2	2	14
		F	1	1	0	1	2	2	2	1	0	0	1	11
		T	1	1	0	1	3	4	6	3	1	2	3	25
1	Acute bronchitis and acute bronchiolitis (J20-J21)	M	0	0	0	0	1	0	0	2	1	1	0	5
		F	1	1	0	0	1	2	1	1	0	0	0	7
		T	1	1	0	0	2	2	1	3	1	1	0	12
2	Bronchitis, chronic and unspecified, emphysema (J40-J43)	M	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	0	0	1	0	0	1	0	0	0	0	2
3	Asthma (J45-J46)	M	0	0	0	0	0	1	2	0	0	1	2	6
		F	0	0	0	0	1	0	1	0	0	0	1	3
		T	0	0	0	0	1	1	3	0	0	1	3	9

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	Other lower respiratory disorders (J22, J44 & J47)	M	0	0	0	0	0	1	1	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	1	1	0	0	0	0	2
35	Other diseases of the respiratory system (J10-J18, J60-J98)	M	1	0	0	2	2	3	5	1	2	5	2	23
		F	1	1	2	1	1	0	1	1	0	1	1	10
		T	2	1	2	3	3	3	6	2	2	6	3	33
1	Influenza (J10-J11)	M	0	0	0	0	1	0	1	0	0	1	1	4
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	1	0	0	1	1	4
2	Pneumonia (J12-J18)	M	1			2	1	3	4	1	1	3	1	17
		F	1	1	1	1	1		1	1		1		8
		T	2	1	1	3	2	3	5	2	1	4	1	25
3	Pleurisy (J90)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of the respiratory system (J60-J86, J92-J98.)	M	0	0	0	0	0	0	0	0	1	1	0	2
		F	0	0	1	0	0	0	0	0	0	0	1	2
		T	0	0	1	0	0	0	0	0	1	1	1	4
XI.	DISEASES OF THE DIGESTIVE SYSTEM (K00-K92)	M	0	1	0	1	6	11	4	3	0	2	5	33
		F	0	0	0	1	0	1	1	1	0	0	0	4
		T	0	1	0	2	6	12	5	4	0	2	5	37
36	Diseases of oral cavity, salivary glands and jaws (K00- K14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
37	Diseases of the other parts of digestive system (K20-K92)	M	0	1	0	1	6	11	4	3	0	2	5	33
		F	0	0	0	1	0	1	1	1	0	0	0	4
		T	0	1	0	2	6	12	5	4	0	2	5	37
1	Gastric and duodenal ulcer (K25-K27)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Gastritis and duodenitis (K29)	M	0	0	0	1	2	1	0	0	0	0	0	4
		F	0	0	0	1	0	0	0	0	0	0	0	1
		T	0	0	0	2	2	1	0	0	0	0	0	5
3	Diseases of appendix (K35-K38)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Hernia (K40-K46)	M	0	1	0	0	0	0	0	0	0	0	1	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	1	0	0	0	0	0	0	0	0	1	2
5	Paralytic ileus and intestinal obstruction without hernia (K56)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Peritonitis (K65)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
7	Diseases of the liver (K70-K76)	M	0	0	0	0	4	9	4	3	0	2	2	24
		F	0	0	0	0	0	1	1	1	0	0	0	3
		T	0	0	0	0	4	10	5	4	0	2	2	27
8	Cholelithiasis and cholecystitis (K80-K81)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	Disorders of the pancreas (K85-K86)	M	0	0	0	0	0	1	0	0	0	0	2	3
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	1	0	0	0	0	2	3
10	All other diseases of the other parts of digestive system (K20- K22,K28,K30- K31,K50-K55,K57- K63, K66,K82-K83 & K90- K92)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XII.	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (L00-L98)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	1	0	0	0	0	1
		T	0	0	0	0	0	0	1	0	0	0	0	1
38	Diseases of the skin and subcutaneous tissue (L00-L98)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	1	0	0	0	0	1
		T	0	0	0	0	0	0	1	0	0	0	0	1
1	Infections of the skin and subcutaneous tissue (L00-L08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2	All other diseases of the skin and subcutaneous tissue) (L10-L98)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	1	0	0	0	0
		T	0	0	0	0	0	0	0	1	0	0	0	0
XIII.	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE ( M00-M99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
39	Diseases of the musculoskeletal system and connective tissue ( M00-M99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Rheumatoid arthritis and other inflammatory polyarthropathies M05M13)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Osteomyelitis ( M86)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the musculoskeletal system and connective tissue (M00-M02, M15-M85,M87-M99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XIV.	DISEASES OF THE GENITOURINARY SYSTEM ( N00-N99)	M	0	0	0	1	2	5	4	3	3	4	2	24
		F	0	0	0	1	1	3	2	1	1	0	0	9
		T	0	0	0	2	3	8	6	4	4	4	2	33

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
40	Diseases of urinary system (N00-N39)	M	0	0	0	1	2	5	4	3	3	4	2	24
		F	0	0	0	1	1	3	2	1	1	0	0	9
		T	0	0	0	2	3	8	6	4	4	4	2	33
1	Glomerular diseases (including Nephritic Syndrome) (N00-N07)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Renal tubulo- interstitial diseases (N10-N15)	M	0	0	0	0	0	1	1	0	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	1	1	0	0	0	0	2
3	Renal failure (N17-N19)	M	0	0	0	0	1	1	2	0	1	1	1	7
		F	0	0	0	1	0	1	2	0	0	0	0	4
		T	0	0	0	1	1	2	4	0	1	1	1	11
4	Urolithiasis (N20-N23)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Other disorders of kidney and ureter (N25-N28)	M	0	0	0	1	1	3	1	3	2	3	1	15
		F	0	0	0	0	1	2	0	1	1	0	0	5
		T	0	0	0	1	2	5	1	4	3	3	1	20
6	All other diseases of urinary system (N30-N39)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
41	Other diseases of the genitourinary system (N40-N99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Hyperplasia of prostate ( N40)	M	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of male genital organs (N41-N50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Salpingitis and oophoritis ( N70)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of female genital organs ( N60-N64 & N71- N99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XV.	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM ( 000- 099)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
42	Pregnancy with abortive outcome (000-008)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Spontaneous abortion ( 003)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Medical abortion ( 004)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other pregnancies with abortive outcome ( 000-002 & 005- 008)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
43	Other direct obstetric deaths ( 010-092)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium ( O10-016)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
2	Infections of genitourinary tract in pregnancy ( O23)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
3	Obstructed labour ( O64-066)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
4	Complications pre-dominantly related to the puerperium ( O85-092)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
5	Other complications of pregnancy and delivery (O20-022,024-063 & O67-084)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
44	Other obstetric conditions, not elsewhere classified ( O95-099)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
1	Indirect obstetric deaths (O98-099)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
2	All other obstetric conditions, not elsewhere classified ( O95-097)	F	0	0	0	0	0	0	0	0	0	0	0	0	
		T	0	0	0	0	0	0	0	0	0	0	0	0	
XVI.	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ( P00-P96)	M	0	0	0	0	0	0	0	0	0	0	0	1	1
		F	1	0	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	0	0	0	0	0	0	0	0	1	2

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
45	Certain conditions originating in the perinatal period (P00-P96)	M	0	0	0	0	0	0	0	0	0	0	0	1	1
		F	1	0	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	0	0	0	0	0	0	0	0	1	2
1	Slow fetal growth, fetal malnutrition and immaturity ( P05- P07)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Birth trauma ( P10-P15)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Hypoxia, birth asphyxia and other respiratory conditions ( P20-P28)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
4	Haemolytic disease of fetus and new-born ( P55)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
5	Other perinatal jaundice ( P58-P59)	M	0	0	0	0	0	0	0	0	0	0	0	1	1
		F	1	0	0	0	0	0	0	0	0	0	0	0	1
		T	1	0	0	0	0	0	0	0	0	0	0	1	2
6	All other conditions originating in the perinatal period ( P00-P04,P08,P29- P54,P56-P57,P60- P96.)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
XVII.	CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (Q00-Q99)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
46	Congenital malformations, deformations and chromosomal abnormalities ( Q00-Q99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Spina bifida ( Q05)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Congenital malformations of the circulatory system ( Q20-Q28)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Cleft lip and cleft palate ( Q35-Q37)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other congenital malformations, deformations and chromosomal abnormalities, not elsewhere classified (Q00-Q04,Q06-Q18,Q30-Q34 & Q38-Q99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XVIII.	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS,NOT ELSEWHERE CLASSIFIED ( R00-R99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
47	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Abdominal and pelvic pain ( R10)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Ascites ( R18)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Somnolence, stupor and coma ( R40)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Fever of unknown origin ( R50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Senility (R54)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Syncope and collapse (R55)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Convulsions, not elsewhere classified ( R56)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
8	Shock, not elsewhere classified ( R57)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
9	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R09, R11-R17,R19-R39,R41-R49,R51-R53,R58-R99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XIX.	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES (S00-T98)	M	0	0	0	6	4	0	4	0	0	0	3	17
		F	0	1	0	1	0	0	0	0	0	0	0	2
		T	0	1	0	7	4	0	4	0	0	0	3	19
48	Fractures ( S02,S12,S22,S32,S42,S52, S62,S72,S82,S92,T02, T08,T10 & T12 )	M	0	0	0	5	4	0	4	0	0	0	3	16
		F	0	1	0	1	0	0	0	0	0	0	0	2
		T	0	1	0	6	4	0	4	0	0	0	3	18
1	Fracture of skull and facial bones ( S02)	M	0	0	0	5	4	0	4	0	0	0	2	15
		F	0	1	0	1	0	0	0	0	0	0	0	2
		T	0	1	0	6	4	0	4	0	0	0	2	17
2	Fracture of neck, thorax or pelvis ( S12,S22,S32 & T08)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Fracture of upper limb ( S42,S52,S62 & T10)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Fractures of lower limb ( S72,S82,S92 & T12)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
5	Fractures involving multiple body regions, and of unspecified body region ( T02 )	M	0	0	0	0	0	0	0	0	0	0	0	1	1
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	1	1
49	Dislocations, sprains and strains of specified and multiple body regions (S03,S13,S23,S33,S43,S53,S63,S73,S83,S93,T03 )	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
50	Intracranial and internal injuries, including nerves (S04,S06,S14,S24,S26-S27,S34,S36-S37,S44,S54,S64,S74,S84 & S94)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
51	Crushing injuries and traumatic amputations of specified and multiple body regions (S07-S08,S17-S18,S28,S38,S47-S48,S57-S58,S67-S68,S77-S78,S87-S88,S97-S98,T04-T05)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
52	Other injuries of specified,unspecified and multiple body regions (S00-S01,S05,S09-S11,S15-S16,S19-S21,S25,S29-S31,S35,S39-S41,S45-S46,S49-S51,S55-S56,S59-S61,S65-S66,S69-S71,S75-S76,S79-S81,S85-S86,S89-S91,S95-S96,S99,T00-T01,T06-T07,T09,T11,T13-T14)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
53	Effects of foreign body entering through natural orifice ( T15- T19)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
54	Burns and Corrosions ( T20-T32)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
55	Poisonings by drugs & biological substances; and Toxic effects of substances chiefly nonmedicinal as to source ( T36- T50 & T51-T65)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
56	Other and unspecified effects of external causes and certain early complications of trauma (T33-T35,T66-T79)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
57	Complications of Surgical and Medical care, not elsewhere classified ( T80-T88)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
58	Late effects of injuries, of poisoning and of other consequences of external causes (T90- T98)	M	0	0	0	1	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	1	0	0	0	0	0	0	0	1

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XX.	EXTERNAL CAUSES OF MORBIDITY AND MORTALITY (V01-Y89)	M	0	0	2	6	7	9	10	6	3	3	5	51
		F	0	0	0	0	3	2	3	2	2	0	1	13
		T	0	0	2	6	10	11	13	8	5	3	6	64
E48	Transport accidents (V01-V99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	1	0	0	0	0	0	1
		T	0	0	0	0	0	1	0	0	0	0	0	1
1	Railway accidents (V05,V15,V80.6,V81, V82.2, V87.6 & V88.6)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Motor vehicle traffic accidents (V02- V04,V09.2-V09.3,V12- V14,V19.4- V19.6,V19.9,V20- V28,V29.4- V29.6,V29.9, V30- V38,V39.4- V39.6,V39.9,V40- V48,V49.4- V49.6,V49.9, V50- V58,V59.4- V59.6,V59.9,V60- V68,V69.4- V69.6,V69.9, V70- V78,V79.4- V79.6,V79.9,V80.3- V80.5,V82.1,V87.0- V87.5,V87.7- V87.9,V89.2-V89.3)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other road vehicle accidents (V01,V06,V09.9,V10- V11, V16- V18,V19.8,V29.8,V39. 8,V49.8,V59.8,V69.8,V 79.8, V80.0-V80.2,V80.7- V80.9, V82.3-V82.7, V82.9 & V89.1)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	Water transport accidents (V90-V94)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Air & Space transport accidents (V95-V97)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	All other transport accidents (V09.0- V09.1,V19.0- V19.3,V29.0- V29.3,V39.0- V39.3,V49.0- V49.3,V59.0- V59.3,V69.0-V69.3, V79.0-V79.3, V82.0, V82.8, V83- V86,V88.0- V88.5,V88.7- V88.9,V89.0,V89.9,V9 8-V99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	1	0	0	0	0	1
		T	0	0	0	0	0	0	1	0	0	0	0	1
E49	Accidental Falls (W00-W19)	M	0	0	1	5	4	5	3	1	0	1	4	24
		F	0	0	0	0	1	0	1	0	0	0	1	3
		T	0	0	1	5	5	5	4	1	0	1	5	27
E50	Accidental drowning and submersion (W65-W74)	M	0	0	1	0	0	1	1	0	0	0	0	3
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	1	0	0	1	1	0	0	0	0	3
E51	Exposure to smoke, fire and flames (X00-X09)	M	0	0	0	0	1	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	0	0	0	0	0	1

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS												
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
E52	Accidental poisoning by and exposure to noxious substances (X40-X49)	M	0	0	0	0	0	0	0	1	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	1	0	0	0	0
E53	Intentional self-harm (Suicide- attempted) ( X60-X84)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
E54	Assault (Homicide) ( X85-Y09)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
E55	Other Violence (Y10-Y36)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Event of undetermined intent (Y10-Y34)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
2	Legal intervention ( Y35)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Operations of war (Y36)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
E56	Complications of medical and surgical care ( Y40-Y84)	M	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Drugs,medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Misadventures during surgical & medical care,adverse incidents in diagnostic and therapeuticuse, abnormal reactions and late complications (Y60- Y69,Y70-Y82 & Y83- Y84)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E57	Other external causes of accidental injury, not elsewhere classified (W20-W64,W75- W99, X10-X39,X50-X59)	M	0	0	0	1	2	3	5	5	3	2	1	22
		F	0	0	0	0	2	1	2	2	2	0	0	9
		T	0	0	0	1	4	4	7	7	5	2	1	31
1	Accidents caused by machinery, and by cutting & piercing instruments ( W24- W31 )	M	0	0	0	0	0	1	0	1	0	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	1	0	1	0	0	0	2
2	Accidents caused by firearm missile (W32-W34)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Bites of snakes & other venomous animals ( X20-X27)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70+	N.S.	TOTAL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	Sun stroke (X32)	M	0	0	0	1	2	2	5	4	3	2	1	20
		F	0	0	0	0	2	1	2	2	2	0	0	9
		T	0	0	0	1	4	3	7	6	5	2	1	29
5	All other accidents including late effects (W20-W23,W35- W64, W75-W99,X10- X19, X28-X31, X33-X39 & X50-X59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E58	Late effects of external causes of morbidity and mortality (Y85- Y89)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E59	ALL CAUSES ( MAJOR GROUP I to XIX)	M	2	3	2	21	45	51	52	38	13	29	38	294
		F	5	5	3	14	21	27	20	19	8	18	10	150
		T	7	8	5	35	66	78	72	57	21	47	48	444
	ALL CAUSES ( MAJOR GROUP I to XX)	M	2	3	4	27	52	60	62	44	16	32	43	345
		F	5	5	3	14	24	29	23	21	10	18	11	163
		T	7	8	7	41	76	89	85	65	26	50	54	508
XXII.	Codes for Special Purposes (U00-U49)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
	Provisional Assignment of New Diseases of Uncertain Etiology or Emergency Use (U01-U49)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

M.G/C AT./S.C	CAUSE OF DEATH	S E X	AGE GROUPS											
			<1	1- 4	5- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65- 69	70 +	N.S.	TOT AL
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	COVID-19, Virus Identified (U07.1)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	COVID-19, Virus not Identified (U07.2)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
ALL CAUSES ( MAJOR GROUP I to XIX and XXII)	M	2	3	2	21	45	51	52	38	13	29	38	294	
	F	5	5	3	14	21	27	20	19	8	18	10	150	
	T	7	8	5	35	66	78	72	57	21	47	48	444	
ALL CAUSES ( MAJOR GROUP I to XX & XXII)	M	2	3	4	27	52	60	62	44	16	32	43	345	
	F	5	5	3	14	24	29	23	21	10	18	11	163	
	T	7	8	7	41	76	89	85	65	26	50	54	508	

Source: Districts Government Hospitals

Table 4.2 shows the age-wise death registered under the major groups of cause of death (A00-H95) during 2024. It can be inferred from the above table that, majority of the deaths i.e. 59.81 percent was caused by Infection and Parasitic Disease (A00-B99). The second major cause of death i.e. 18.98 percent was caused by Disease of Blood & Blood forming Organs & Certain Disorder involving the Immune Mechanism (D50-D89).

**Table 4.2 Age-Wise Death Registered Under the Major Groups of Cause of Death (A00-H95) in 2024**

Sl.No	Code	Major Group of Cause of Death	Sex	Below 1 year	1-4 year	5-14 Year	15-24 year	25-34 year	35-44 year	45-54 year	55-64 year	65-69 year	70 & above year	Not stated	Total
1	A00-B99	Infection and Parasitic Disease	M	0	0	0	3	11	5	8	4	1	5	6	43
			F	0	0	1	3	6	3	4	2	0	3	1	23
2	C00-D48	Neoplasms	M	0	0	1	0	3	1	2	3	1	1	2	14
			F	0	0	0	0	1	3	0	1	1	0	1	7
3	D50-D89	Disease of Blood & Blood forming Organs & Certain Disorder involving the Immune Mechanism	M	0	0	1	2	1	3	2	3	0	0	2	14
			F	0	0	0	3	2	4	2	2	2	0	1	16
4	E00-E89	Endocrine Nutritional & Metabolic Disease	M	0	0	0	0	0	1	4	4	0	2	4	15
			F	1	0	0	0	1	1	3	1	1	1	0	9
5	F01-F99	Mental & Behavior Disorder	M	0	0	0	1	1	3	0	0	1	2	0	8
			F	1	0	0	0	0	0	0	0	0	0	0	1
6	G00-G98	Diseases of the Nervous System	M	0	1	0	0	1	2	0	0	1	0	0	5
			F	0	0	0	2	0	0	0	0	0	0	0	2
7	H00-H59	Diseases of the Eye & Adnexa	M	0	0	0	0	0	0	1	0	0	0	0	1
			F	0	0	0	0	0	0	0	0	0	0	0	0
8	H60-H95	Diseases of the Ear & Mastoid Process	M	0	0	0	0	0	0	0	0	0	0	0	0

Source: Districts Government Hospitals

The following Table 4.3 shows the age-wise death registered under the major groups of cause of death (I00-T98) during 2024. The major cause of death at 45.80 percent was 'Diseases of the Circulatory System' (I00-I99), and the second major cause of death i.e. 22.2 percent was 'Diseases of the Respiratory System' (J00-J98).

**Table 4.3. Age-Wise Death Registered Under the Major Groups of Cause of Death (I00-T98) In 2024**

Sl.No	Code	Major Group of Cause of Death	Sex	Below 1 year	1-4 year	5-14 Year	15-24 year	25-34 year	35-44 year	45-54 year	55-64 year	65-69 year	70 & above year	Not stated	Total
9	I00-I99	Diseases of the Circulatory System	M	0	0	0	4	13	14	14	15	3	6	9	78
			F	0	2	0	1	7	10	4	9	3	12	5	53
10	J00-J98	Diseases of the Respiratory System	M	2	1	0	3	3	6	9	3	3	7	4	41
			F	2	2	2	2	3	2	3	2	1	1	2	22
11	K00-K92	Diseases of the Digestive System	M	0	1	0	1	6	11	4	3	0	2	5	33
			F	0	0	0	1	0	1	1	1	0	0	0	4
12	L00-L98	Diseases of the Skin & Subcutaneous Tissue	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	1	0	0	0	0	1
13	M00-M99	Diseases of the Musculoskeletal System & Connective Tissue	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
14	N00-N99	Diseases of the Genitourinary System	M	0	0	0	1	2	5	4	3	3	4	2	24
			F	0	0	0	1	1	3	2	1	1	0	0	9
15	O00-O99	Pregnancy, Child-Birth & the Puerperium	F	0	0	0	0	0	0	0	0	0	0	0	0

16	P00-P96	Certain Conditions & Originating in the Perinatal Period	M	0	0	0	0	0	0	0	0	0	0	0	1	1	
			F	1	0	0	0	0	0	0	0	0	0	0	0	0	1
17	Q00-Q99	Congenital Malformation, Deformation & Chromosomal Abnormalities	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	R00-R99	Symptoms, Signs & Abnormal Clinical and Laboratory findings, not elsewhere classified	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	S00-T98	Injury, Poisoning Certain consequences of External Causes	M	0	0	0	6	4	0	4	0	0	0	0	3	17	
			F	0	1	0	1	0	0	0	0	0	0	0	0	2	

**TABLE-1(I)**  
**VITAL STATISTICS BY DISTRICT IN RURAL AREAS DURING 2024**

Sl. No	District	Population Census 2011(A)	Number of Registration Units	Number of Monthly Returns Due	Number of Monthly Returns Received	Estimated midyear population	
						Total	Adjusted for Incomplete Receipt of Returns
0	1	2	3	4	5	6	7
1	Kohima	146900	116	1392	948	168840	114986
2	Phek	138843	144	1728	1008	159580	93088
3	Mokokchung	138897	125	1500	1080	159642	114942
4	Wokha	131339	132	1584	816	150955	77765
5	Zunheboto	113160	191	2292	1490	130061	84551
6	Tuensang	159822	148	1776	1716	183692	177486
7	Mon	215816	145	1740	1452	248049	206993
8	Dimapur	180942	201	2412	1423	207967	122694
9	Peren	81429	108	1296	804	93591	58061
10	Longleng	42871	47	564	396	49274	34597
11	Kiphire	57517	90	1080	684	66107	41868
<b>(TOTAL RURAL)</b>		<b>1407536</b>	<b>1447</b>	<b>17364</b>	<b>11817</b>	<b>1617758</b>	<b>1127031</b>

**TABLE-1(II)**  
**VITAL STATISTICS BY DISTRICT IN URBAN AREAS DURING 2024**

Sl.no	District	Population Census 2011(A)	Number of Registration Units	Number of Monthly Returns Due	Number of Monthly Returns Received	Estimated midyear population	
						Total	Adjusted for Incomplete Receipt of Returns
0	1	2	3	4	5	6	7
1	Kohima	121088	4	48	48	139173	139173
2	Phek	24575	2	24	24	28245	28245
3	Mokokchung	55725	3	36	36	64048	64048
4	Wokha	35004	1	12	12	40232	40232
5	Zunheboto	27597	2	24	24	31719	31719
6	Tuensang	36774	3	36	36	42266	42266
7	Mon	34444	3	36	36	39588	39588
8	Dimapur	197869	3	36	36	227422	227422
9	Peren	13790	2	24	24	15850	15850
10	Longleng	7613	2	24	24	8750	8750
11	Kiphire	16487	2	24	24	18949	18949
	<b>TOTAL URBAN</b>	<b>570966</b>	<b>27</b>	<b>324</b>	<b>324</b>	<b>656242</b>	<b>656242</b>

**TABLE- 2**  
**NUMBER OF BIRTHS, DEATHS AND INFANT DEATHS BY SEX, MATERNAL DEATHS**  
**AND STILL BIRTHS REGISTERED DURING 2024**

Sl. No.	District	Rural Urban	Births			Deaths			Infant Deaths			Maternal Deaths	Still Births		
			M	F	T	M	F	T	M	F	T	F	M	F	T
1	Kohima	Rural	1019	1092	<b>2111</b>	76	43	<b>119</b>	0	0	0	0	0	0	0
		Urban	468	480	<b>948</b>	168	68	<b>236</b>	0	0	0	0	0	0	0
		<b>Total</b>	<b>1487</b>	<b>1572</b>	<b>3059</b>	<b>244</b>	<b>111</b>	<b>355</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
2	Phek	Rural	1070	1092	<b>2162</b>	44	24	<b>68</b>	0	0	0	0	0	0	0
		Urban	162	207	<b>369</b>	33	13	<b>46</b>	0	0	0	0	0	0	0
		<b>Total</b>	<b>1232</b>	<b>1299</b>	<b>2531</b>	<b>77</b>	<b>37</b>	<b>114</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
3	Mokokchung	Rural	1347	1287	<b>2634</b>	177	112	<b>289</b>	0	0	0	0	0	0	0
		Urban	401	373	<b>774</b>	138	55	<b>193</b>	0	0	0	0	0	0	0
		<b>Total</b>	<b>1748</b>	<b>1660</b>	<b>3408</b>	<b>315</b>	<b>167</b>	<b>482</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
4	Wokha	Rural	520	534	<b>1054</b>	24	5	<b>29</b>	0	0	0	0	0	0	0
		Urban	870	832	<b>1702</b>	97	47	<b>144</b>	0	0	0	0	0	0	0
		<b>Total</b>	<b>1390</b>	<b>1366</b>	<b>2756</b>	<b>121</b>	<b>52</b>	<b>173</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
5	Zunheboto	Rural	1346	1249	<b>2595</b>	54	22	<b>76</b>	0	0	0	0	0	0	0
		Urban	1197	1287	<b>2484</b>	112	40	<b>152</b>	0	0	0	0	0	0	0
		<b>Total</b>	<b>2543</b>	<b>2536</b>	<b>5079</b>	<b>166</b>	<b>62</b>	<b>228</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
6	Tuensang	Rural	4515	4188	<b>8703</b>	61	22	<b>83</b>	1	0	1	0	0	0	0
		Urban	679	575	<b>1254</b>	101	46	<b>147</b>	0	0	0	0	0	0	0
		<b>Total</b>	<b>5194</b>	<b>4763</b>	<b>9957</b>	<b>162</b>	<b>68</b>	<b>230</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

7	Mon	Rural	4829	4398	<b>9227</b>	11	6	<b>17</b>	0	0	0	0	0	0	0	
		Urban	1097	961	<b>2058</b>	125	50	<b>175</b>	0	0	0	0	0	0	0	0
		<b>Total</b>	<b>5926</b>	<b>5359</b>	<b>11285</b>	<b>136</b>	<b>56</b>	<b>192</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
8	Dimapur	Rural	677	678	<b>1355</b>	15	10	<b>25</b>	0	0	0	0	0	0	0	
		Urban	8145	8545	<b>16690</b>	840	368	<b>1208</b>	0	0	0	0	0	0	0	0
		<b>Total</b>	<b>8822</b>	<b>9223</b>	<b>18045</b>	<b>855</b>	<b>378</b>	<b>1233</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
9	Peren	Rural	1087	1020	<b>2107</b>	29	16	<b>45</b>	0	0	0	0	0	0	0	
		Urban	242	229	<b>471</b>	13	4	<b>17</b>	0	0	0	0	0	0	0	0
		<b>Total</b>	<b>1329</b>	<b>1249</b>	<b>2578</b>	<b>42</b>	<b>20</b>	<b>62</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
10	Longleng	Rural	623	533	<b>1156</b>	26	8	<b>34</b>	0	0	0	0	0	0	0	
		Urban	74	71	<b>145</b>	50	22	<b>72</b>	0	0	0	0	0	0	0	0
		<b>Total</b>	<b>697</b>	<b>604</b>	<b>1301</b>	<b>76</b>	<b>30</b>	<b>106</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
11	Kiphire	Rural	368	398	<b>766</b>	0	0	<b>0</b>	0	0	0	0	0	0	0	
		Urban	225	229	<b>454</b>	24	8	<b>32</b>	0	0	0	0	0	0	0	0
		<b>Total</b>	<b>593</b>	<b>627</b>	<b>1220</b>	<b>24</b>	<b>8</b>	<b>32</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Nagaland(Total)</b>	Rural	17401	16469	<b>33870</b>	517	268	<b>785</b>	1	0	1	0	0	0	0	0	
	Urban	13560	13789	<b>27349</b>	1701	721	<b>2422</b>	0	0	0	0	0	0	0	0	
	<b>Total</b>	<b>30961</b>	<b>30258</b>	<b>61219</b>	<b>2218</b>	<b>989</b>	<b>3207</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	

**TABLE-3**  
**NUMBER OF BIRTHS, DEATHS AND INFANT DEATHS BY SEX, MATERNAL DEATHS AND STILL BIRTHS REGISTERED DURING 2024 (CONSOLIDATED)**

SL NO.	DISTRICT	Births			Deaths			Infant Deaths			Maternal deaths	Still Births		
		Male	Female	Total	Male	Female	Total	Male	Female	Total		Male	Female	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Kohima	1487	1572	3059	244	111	355	0	0	0	0	0	0	0
2	Phek	1232	1299	2531	77	37	114	0	0	0	0	0	0	0
3	Mokokchung	1748	1660	3408	315	167	482	0	0	0	0	0	0	0
4	Wokha	1390	1366	2756	121	52	173	0	0	0	0	0	0	0
5	Zunheboto	2543	2536	5079	166	62	228	0	0	0	0	0	0	0
6	Tuensang	5194	4763	9957	162	68	230	1	0	1	0	0	0	0
7	Mon	5926	5359	11285	136	56	192	0	0	0	0	0	0	0
8	Dimapur	8822	9223	18045	855	378	1233	0	0	0	0	0	0	0
9	Peren	1329	1249	2578	42	20	62	0	0	0	0	0	0	0
10	Longleng	697	604	1301	76	30	106	0	0	0	0	0	0	0
11	Kiphire	593	627	1220	24	8	32	0	0	0	0	0	0	0
	<b>Total</b>	<b>30961</b>	<b>30258</b>	<b>61219</b>	<b>2218</b>	<b>989</b>	<b>3207</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**TABLE- 4**  
**VITAL RATE BY DISTRICTS DURING 2024**  
**( PER THOUSAND POPULATION )**

Sl. No.	District	Rural				Urban				COMBINED			
		Birth Rate	Death Rate	Infant Death Rate	Maternal Death rate	Birth Rate	Death Rate	Infant Death Rate	Maternal Death rate	Birth Rate	Death Rate	Infant Mortality Rate	Maternal Death Rate
0	1	2	3	4	5	6	7	8	9	10	11	12	13
1	Kohima	1.30	1.69	0	0	3.71	1.39	0	0	2.62	1.06	0	0
2	Phek	0.55	0.34	0	0	0.60	1.13	0	0	0.38	0.26	0	0
3	Mokokchung	0.26	1.39	0	0	1.09	2.50	0	0	0.56	1.23	0	0
4	Wokha	1.05	1.17	0	0	0.20	2.26	0	0	0.76	0.89	0	0
5	Zunheboto	0.19	1.04	0	0	0.91	2.77	0	0	0.39	1.13	0	0
6	Tuensang	1.62	0.51	3.48	0	2.37	2.13	0	0	1.76	0.64	2.58	0
7	Mon	1.37	0.46	0	0	2.30	2.42	0	0	1.52	0.46	0	0
8	Dimapur	0.98	7.56	0	0	6.40	4.08	0.00	0	4.50	2.69	0.00	0
9	Peren	1.81	0.17	0	0	1.39	0.63	0	0	1.72	0.58	0	0
10	Longleng	1.10	1.59	0	0	3.43	6.29	0	0	1.57	1.78	0	0
11	Kiphire	0.24	0.76	0	0	1.90	1.69	0	0	0.76	0.53	0	0
	<b>Nagaland(Total)</b>	<b>1.04</b>	<b>1.57</b>	<b>0.85</b>	<b>0</b>	<b>3.62</b>	<b>2.70</b>	<b>0.00</b>	<b>0</b>	<b>1.98</b>	<b>1.18</b>	<b>0.28</b>	<b>0</b>

**TABLE - 5**  
**VITAL STATISTICS FOR TOWNS WITH POPULATION 30,000 AND ABOVE DURING 2024**  
**( PER THOUSAND POPULATION)**

Sl. No	Town	Population 2011 (A)	Population Adjusted for Incomplete Receipt of Returns	Live Birth	Death	Infant Death	Maternal Death	Birth Rate	Death Rate	Infant Death Rate	Maternal Death Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Kohima Town	121088	139173	517	194	0	0	3.71	1.39	0	0
2	Dimapur Town	197869	227422	1456	927	0	0	6.40	4.08	0	0
3	Wokha Town	35004	40232	8	91	0	0	0.20	2.26	0	0
4	Mokokchung Town	55725	64048	70	160	0	0	1.09	2.50	0	0
5	Tuensang Town	36774	42266	100	90	1	0	2.37	2.13	3	0
6	Mon	34444	39588	91	96	0	0	2.30	2.42	0	0
	<b>Nagaland(Total)</b>	<b>480904</b>	<b>552729</b>	<b>2242</b>	<b>1558</b>	<b>1</b>	<b>0</b>	<b>4.06</b>	<b>2.82</b>	<b>0</b>	<b>0</b>

**TABLE - 6**  
**NUMBER OF LIVE BIRTHS BY TYPE OF DELIVERY ATTENTION DURING 2024**

Sl. No	Rural \ Urban\Total	Type of attention at delivery				Total
		Institutional	Physician/Nurse and Trained Mid-wife	Untrained Mid-wife	Others	
1	Rural	3541	3278	8194	18857	33870
2	Urban Town with population 30,000 above	6025	2921	7330	6890	23166
3	All other Urban areas	1779	251	1113	1040	4183
<b>Total Nagaland</b>		<b>11345</b>	<b>6450</b>	<b>16637</b>	<b>26787</b>	<b>61219</b>

**TABLE - 7**  
**NUMBER OF DEATHS BY TYPE OF MEDICAL ATTENTION RECEIVED DURING 2024**

S.I No	Rural \ Urban\Total	Institutional	Qualified Medical Practitioner (Allopathic)	Qualified Medical Practitioner (Other system)	Others	Total
1	Rural	185	197	192	211	785
2	Urban Town with Population 30,000 above	802	384	584	451	2221
3	All other Urban Areas	110	0	2	89	201
<b>Nagaland(Total)</b>		<b>1097</b>	<b>581</b>	<b>778</b>	<b>751</b>	<b>3207</b>

**TABLE - 8**  
**NUMBER OF DEATHS BY AGE AND SEX DURING 2024**

Age	Rural			Urban			Total		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Below 1 Year	1	0	1	0	0	0	1	0	1
1-4 Yrs.	0	0	0	23	8	31	23	8	31
5-14	2	2	4	11	5	16	13	7	20
15-24	6	4	10	31	8	39	37	12	49
25-34	23	13	36	128	50	178	151	63	214
35-44	49	33	82	284	91	375	333	124	457
45-54	71	33	104	321	141	462	392	174	566
55-64	89	39	128	339	139	478	428	178	606
65-69	43	19	62	124	65	189	167	84	251
70 and above	177	101	278	387	186	573	564	287	851
Age not stated	56	24	80	53	28	81	109	52	161
<b>Total of all Ages</b>	<b>517</b>	<b>268</b>	<b>785</b>	<b>1701</b>	<b>721</b>	<b>2422</b>	<b>2218</b>	<b>989</b>	<b>3207</b>

**TABLE-9**  
**VITAL STATISTICS BY RELIGION DURING 2024**

Sl. No.	District	Christians		Hindus		Muslims		Others		All Religions	
		Live Births	Deaths	Live Births	Deaths	Live Births	Deaths	Live Births	Deaths	Live Births	Deaths
1	Kohima	2884	313	126	35	46	6	3	1	3059	355
2	Phek	2511	112	19	2	0	0	1	0	2531	114
3	Mokokchung	3234	461	145	6	7	15	22	0	3408	482
4	wokha	2474	170	190	3	92	0	0	0	2756	173
5	Zunheboto	5051	225	20	2	8	1	0	0	5079	228
6	Tuensang	9928	225	17	4	8	1	4	0	9957	230
7	Mon	11259	190	20	2	6	0	0	0	11285	192
8	Dimapur	13972	853	2829	315	1193	57	51	8	18045	1233
9	Peren	1981	61	56	0	517	0	24	1	2578	62
10	Longleng	1291	104	8	2	2	0	0	0	1301	106
11	Kiphire	1217	31	1	1	2	0	0	0	1220	32
<b>Nagaland(Total)</b>		<b>55802</b>	<b>2745</b>	<b>3431</b>	<b>372</b>	<b>1881</b>	<b>80</b>	<b>105</b>	<b>10</b>	<b>61219</b>	<b>3207</b>

**TABLE- 10**  
**VITAL STATISTICS BY MONTH AND SEX DURING 2024**

Sl. No	Months	Births						Deaths						Infant Deaths						Total	
		Rural			Urban			Rural			Urban			Rural			Urban			M	F
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	January	1835	1851	1380	1576	23	20	157	74	0	0	0	0	0	0	0	0	0	0	3395	3521
2	February	2159	2176	1583	1603	55	29	191	71	0	0	0	0	0	0	0	0	0	0	3988	3879
3	March	1653	1545	1490	1522	51	20	139	68	1	0	0	0	0	0	0	0	0	0	3333	3155
4	April	1423	1317	1096	1142	42	25	144	53	0	0	0	0	0	0	0	0	0	0	2705	2537
5	May	1608	1510	1270	1268	61	29	167	84	0	0	0	0	0	0	0	0	0	0	3106	2891
6	June	1419	1406	743	821	55	39	134	59	0	0	0	0	0	0	0	0	0	0	2351	2325
7	July	1440	1326	1242	1217	61	21	199	75	0	0	0	0	0	0	0	0	0	0	2942	2639
8	August	1346	1176	843	871	57	28	147	71	0	0	0	0	0	0	0	0	0	0	2393	2146
9	September	2015	1895	1464	1397	34	17	137	58	0	0	0	0	0	0	0	0	0	0	3650	3367
10	October	1030	961	917	894	43	21	109	43	0	0	0	0	0	0	0	0	0	0	2099	1919
11	November	992	823	889	865	23	14	125	41	0	0	0	0	0	0	0	0	0	0	2029	1743
12	December	481	483	643	613	12	5	52	24	0	0	0	0	0	0	0	0	0	0	1188	1125
	<b>Total</b>	<b>17401</b>	<b>16469</b>	<b>13560</b>	<b>13789</b>	<b>517</b>	<b>268</b>	<b>1701</b>	<b>721</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>33179</b>	<b>31247</b>

**TABLE - 11(I)**  
**LIVE BIRTHS BY BIRTH ORDER AND AGE OF MOTHER IN RURAL AREAS DURING 2024**

Birth order	Below 15 Years	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Age Not	All Ages
1	2	3	4	5	6	7	8	9	10	11
1	0	374	4237	2307	802	220	35	11	148	8134
2	0	181	2618	3068	1098	331	48	16	72	7432
3	1	121	1351	2670	1386	457	63	16	62	6127
4	1	89	486	1547	1538	508	90	17	56	4332
5	0	46	317	665	1139	472	70	26	39	2774
6	0	51	237	340	608	453	56	22	36	1803
7	0	18	106	182	273	207	80	16	17	899
8	0	7	64	112	120	152	62	18	15	550
9	0	6	27	34	39	71	41	29	32	279
10	0	2	12	14	17	28	14	54	6	147
Above 10	0	5	7	21	8	22	10	8	6	87
Not Stated	0	3	99	85	56	14	5	5	1039	1306
<b>Total</b>	<b>2</b>	<b>903</b>	<b>9561</b>	<b>11045</b>	<b>7084</b>	<b>2935</b>	<b>574</b>	<b>238</b>	<b>1528</b>	<b>33870</b>

**TABLE - 11(II)**  
**LIVE BIRTHS BY BIRTH ORDER AND AGE OF MOTHER IN URBAN AREAS DURING 2024**

Birth order	Below 15 Years	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Age Not Stated	All Ages
1	2	3	4	5	6	7	8	9	10	11
1	0	258	2301	2580	1424	435	89	41	67	7195
2	3	86	1413	3102	2202	507	109	33	36	7491
3	0	82	674	1942	2044	529	108	46	19	5444
4	0	30	372	795	1220	383	88	38	24	2950
5	0	18	172	359	738	338	58	40	22	1745
6	0	17	94	153	303	213	40	20	11	851
7	0	3	56	71	137	147	28	20	7	469
8	0	3	30	46	57	89	40	21	4	290
9	0	0	19	20	19	34	11	6	0	109
10	0	0	2	7	9	16	6	3	1	44
Above 10	0	0	4	0	4	9	9	3	1	30
Not Stated	0	3	25	29	21	12	0	7	634	731
<b>Total</b>	<b>3</b>	<b>500</b>	<b>5162</b>	<b>9104</b>	<b>8178</b>	<b>2712</b>	<b>586</b>	<b>278</b>	<b>826</b>	<b>27349</b>

TABLE - 12(I)

## LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF MOTHER IN RURAL AREAS DURING 2024

Birth Order	Literacy of Mother				
	Literate				Total
	2	3	4	5	6
1	1229	5859	785	261	8134
2	1075	5416	767	174	7432
3	1061	4513	436	117	6127
4	1094	3028	136	74	4332
5	779	1910	52	33	2774
6	486	1259	46	12	1803
7	248	624	24	3	899
8	177	363	10	0	550
9	80	194	4	1	279
10	38	107	2	0	147
Above 10	21	66	0	0	87
Not Stated	476	704	119	7	1306
<b>Total</b>	<b>6764</b>	<b>24043</b>	<b>2381</b>	<b>682</b>	<b>33870</b>

TABLE - 12(II)

## LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF MOTHER IN URBAN

Birth Order	Literacy of Mother				
	Literate				Total
	2	3	4	5	6
1	838	3628	1717	1004	7187
2	847	3817	1981	838	7483
3	729	2899	1339	478	5445
4	481	1726	565	178	2950
5	348	1085	232	80	1745
6	217	480	134	34	865
7	113	281	64	12	470
8	72	181	28	9	290
9	30	65	14	0	109
10	10	29	0	5	44
Above 10	12	17	1	0	30
Not Stated	263	386	32	50	731
<b>Total</b>	<b>3960</b>	<b>14594</b>	<b>6107</b>	<b>2688</b>	<b>27349</b>

TABLE - 13(I)

## LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER IN RURAL AREAS DURING 2024

Birth Order	Literacy of Father				
	Literate				Total
	Illiterate	Below Matriculate	Matriculate/Higher Secondary/Equivalent	Graduate and Above	
1	2	3	4	5	6
1	1287	5749	814	284	8134
2	1008	5422	769	233	7432
3	1010	4460	506	151	6127
4	964	3086	206	76	4332
5	430	2047	246	51	2774
6	383	1303	86	31	1803
7	197	632	58	12	899
8	110	387	42	11	550
9	68	188	22	1	279
10	37	83	27	0	147
Above 10	18	67	2	0	87
Not Stated	474	824	8	0	1306
<b>Total</b>	<b>5986</b>	<b>24248</b>	<b>2786</b>	<b>850</b>	<b>33870</b>

TABLE - 13(II)

## LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER IN URBAN AREAS DURING 2024

Birth Order	Literacy of Father				
	Literate				Total
	Illiterate	Below Matriculate	Matriculate/Higher Secondary/Equivalent	Graduate and Above	
1	2	3	4	5	6
1	828	3361	1852	1154	7195
2	830	3477	2168	1016	7491
3	697	2690	1452	605	5444
4	453	1545	692	260	2950
5	295	966	367	117	1745
6	192	443	163	53	851
7	95	266	90	18	469
8	51	168	54	17	290
9	27	62	16	4	109
10	10	26	3	5	44
Above 10	11	14	4	1	30
Not Stated	257	352	76	46	731
<b>Total</b>	<b>3746</b>	<b>13370</b>	<b>6937</b>	<b>3296</b>	<b>27349</b>

**TABLE - 14(I)**  
**LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER IN RURAL AREAS DURING 2024**

Birth Order	Professional Technical & Related Workers	Administrative Executive & Managerial Workers	Clerical Workers	Sales Workers	Farmers, Fishermen, Hunters, Loggers etc and Related Workers	Production & Other Related workers Transport Equipment Operators & Labourers	Others whose Occupation is Not Else Where Classified	Non-Workers	Service Workers	Total
1	48	48	98	148	2204	88	1082	3393	1025	8134
2	60	25	85	114	2204	71	1218	2682	973	7432
3	42	14	50	81	1780	59	1035	2072	994	6127
4	16	9	35	26	1175	40	1023	1402	606	4332
5	11	15	20	28	650	21	693	929	407	2774
6	10	5	4	6	398	9	487	589	297	1805
7	3	5	3	6	201	10	254	249	165	896
8	1	1	4	10	136	2	177	139	80	550
9	2	1	1	4	61	4	87	77	42	279
10	0	1	3	0	26	0	52	24	41	147
Above 10	1	0	4	0	12	1	32	21	16	87
Not Stated	2	2	8	7	504	25	597	69	93	1307
<b>Total</b>	<b>196</b>	<b>126</b>	<b>315</b>	<b>430</b>	<b>9351</b>	<b>330</b>	<b>6737</b>	<b>11646</b>	<b>4739</b>	<b>33870</b>

**TABLE - 14(II)**  
**LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER IN URBAN AREAS DURING 2024**

Birth Order	Professional Technical & Related Workers	Administrative Executive & Managerial Workers	Clerical Workers	Sales Workers	Farmers ,Fishermen, Hunters, Loggers etc and Related Workers	Production & Other Related workers Transport Equipment Operators & Labourers	Others whose Occupation is Not Else Where Classified	Non- Workers	Service Workers	Total
1	2	3	4	5	6	7	8	9	10	11
1	32	84	167	1275	1556	324	1092	1546	1119	7195
2	34	20	177	1176	1573	336	1268	1703	1205	7492
3	23	59	126	692	1278	258	868	1298	842	5444
4	12	17	93	296	947	144	415	593	433	2950
5	5	5	62	151	673	64	259	343	183	1745
6	2	11	40	56	303	29	127	183	100	851
7	4	3	17	22	173	21	84	84	60	468
8	2	1	15	17	112	9	41	63	30	290
9	2	0	3	2	42	5	17	19	19	109
10	0	0	1	1	26	2	5	7	2	44
Above 10	0	0	3	0	8	3	4	4	6	28
Not Stated	8	6	15	13	362	20	124	31	154	733
<b>Total</b>	<b>124</b>	<b>206</b>	<b>719</b>	<b>3701</b>	<b>7053</b>	<b>1215</b>	<b>4304</b>	<b>5874</b>	<b>4153</b>	<b>27349</b>

**Table - 15(I)****LIVE BIRTHS BY BIRTH ORDER AND FATHER'S RELIGION IN RURAL AREAS DURING 2024**

Birth Order	FATHER'S RELIGION				
	Hindus	Muslims	Christians	Others	Total
1	2	3	4	5	6
1	73	44	8014	3	8134
2	90	39	7295	8	7432
3	85	25	6007	10	6127
4	45	14	4267	6	4332
5	24	11	2733	6	2774
6	22	12	1768	1	1803
7	5	3	890	1	899
8	3	5	538	4	550
9	0	1	280	0	281
10	0	1	141	3	145
Above 10	0	0	87	0	87
Not Stated	0	0	1306	0	1306
<b>Total</b>	<b>347</b>	<b>155</b>	<b>33326</b>	<b>42</b>	<b>33870</b>

**Table - 15(II)****LIVE BIRTHS BY BIRTH ORDER AND FATHER'S RELIGION IN URBAN AREAS DURING 2024**

Birth Order	FATHER'S RELIGION				
	Hindus	Muslims	Christians	Others	Total
1	2	3	4	5	6
1	999	353	6444	28	7824
2	983	418	6159	31	7591
3	608	302	4355	15	5280
4	271	129	2356	10	2766
5	108	59	1409	10	1586
6	50	28	661	10	749
7	26	9	371	2	408
8	16	2	239	0	257
9	4	1	92	2	99
10	4	0	33	0	37
Above 10	1	0	20	0	21
Not Stated	13	10	689	19	731
<b>Total</b>	<b>3083</b>	<b>1311</b>	<b>22828</b>	<b>127</b>	<b>27349</b>

**TABLE - 16**  
**DEATHS BY OCCUPATION AND SEX DURING 2024**

Rural/ Urban	Sex	Professional Technical & Related Workers	Administrative Executive & Managerial Workers	Clerical Workers	Sales Workers	Farmers, Fishermen, Hunters, Loggers etc. and Related Workers	Production & Other Related Workers Transport Equipment Operators & Labourers	Whose Occupation is Not Else Where Classified	Non- Workers	Service Workers	Total
Rural	M	9	4	34	4	54	9	170	146	87	517
	F	3	3	8	0	34	7	119	82	12	268
	T	12	7	42	4	88	16	289	228	99	785
Urban	M	14	22	111	117	120	172	471	375	299	1701
	F	5	7	26	21	38	60	144	369	51	721
	T	19	29	137	138	158	232	615	744	350	2422
Total	M	23	26	145	121	174	181	641	521	386	2218
	F	8	10	34	21	72	67	263	451	63	989
	T	31	36	179	142	246	248	904	972	449	3207

**TABLE - 17**  
**INFANTS DEATHS BY SEX & AGE DURING 2024**

Age	Rural			Urban			All areas		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Under 1 Week	0	0	0	0	0	0	0	0	0
1. Week to Below 1 Month	0	0	0	0	0	0	0	0	0
1 Month to Below 3 Months	0	0	0	0	0	0	0	0	0
3 Months to Below 6 Months	0	0	0	0	0	0	0	0	0
6 Month to Below 12 Months	0	0	0	0	0	0	1	0	1
<b>Total :</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>

**TABLE - 18**  
**MATERNAL DEATHS BY AGE DURING 2024**

Age	Rural	Towns with Population 30,000 and Above	All Other Urban Areas	Total for All Urban Areas
Below 15 Years	0	0	0	0
15-19	0	0	0	0
20-24	0	0	0	0
25-29	0	0	0	0
30-34	0	0	0	0
35-39	0	0	0	0
40-44	0	0	0	0
45-49	0	0	0	0
50 and Above	0	0	0	0
<b>Total for All Areas</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**TABLE - 19 (I)**  
**TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS IN RURAL DURING 2024**

Sl. no	District	NUMBER OF EVENTS REGISTERED														Number of Events Registered for Previous Calendar Year			
		Live Births							Deaths							Live Births		Deaths	
		Delayed Registration			Within Time Limit				Delayed Registration			Within Time Limit				M	F	M	F
		Within Time Limit	Within 30 Days	After 30 days but Within 1 Year	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
1	KOHIMA	18	9	32	10	35	46	25	10	5	1	21	14	934	1027	25	18		
2	PHEK	5	6	8	9	11	12	3	2	5	1	10	4	1046	1065	6	37		
3	MOKOKCHUNG	2	1	0	0	15	12	15	7	4	4	22	8	1330	1274	136	93		
4	WOKHA	9	9	5	1	30	28	6	2	1	0	5	0	476	496	12	3		
5	ZUNHEBOTO	2	2	0	0	6	6	13	3	0	1	23	3	1338	1241	18	15		
6	TUENSANG	47	20	37	63	79	41	17	7	4	3	12	7	4352	4064	28	5		
7	MON	42	2	13	0	221	6	9	4	0	2	2	0	4553	4390	0	0		
8	DIMAPUR	17	12	3	2	33	53	5	4	0	1	3	2	624	611	7	3		
9	PEREN	21	16	30	27	7	4	10	2	1	2	9	9	1029	973	9	3		
10	LONGLENG	1	3	1	1	14	18	10	0	0	2	7	3	607	511	9	3		
11	KIPHIRE	1	3	0	2	4	0	0	0	0	0	0	0	365	391	0	0		
	<b>Total Nagaland</b>	<b>165</b>	<b>83</b>	<b>129</b>	<b>115</b>	<b>455</b>	<b>226</b>	<b>113</b>	<b>41</b>	<b>20</b>	<b>17</b>	<b>114</b>	<b>50</b>	<b>16654</b>	<b>16043</b>	<b>250</b>	<b>180</b>		

**TABLE - 19 (II)**  
**TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS IN URBAN DURING 2024**

Sl.no.	District	NUMBER OF EVENTS REGISTERED												Number of Events Registered for Previous Calendar Year					
		Live Births						Deaths						Live Births				Deaths	
		Delayed Registration			After 30 days but Within 1 Year			Delayed Registration			After 30 Days but Within 1 Year			Live Births		Deaths			
		Within Time Limit		Within 30 Days	Within Time Limit		After 30 days but Within 1 Year	Within Time Limit		Within 30 Days	After 30 Days but Within 1 Year		M	F	M	F	M	F	
0	1	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	Kohima	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
2	Phek	105	33	49	27	185	118	68	24	31	8	39	24	129	302	30	12		
3	Mokokchung	2	2	2	3	3	5	11	4	7	3	5	2	155	197	10	4		
4	Wokha	4	5	1	0	26	34	37	3	16	0	85	19	370	334	0	33		
5	Zunheboto	1	1	3	1	1	1	35	16	4	0	27	9	865	829	31	22		
6	Tuensang	10	18	7	13	30	22	26	4	11	0	36	11	1183	1272	39	25		
7	Mon	2	2	4	4	39	40	37	8	14	4	27	6	1052	915	47	32		
8	Dimapur	150	154	77	64	457	554	290	97	54	32	305	149	7461	7773	191	90		
9	Peren	4	5	2	3	5	3	2	2	2	2	2	0	231	218	7	0		
10	Longleng	8	3	2	2	7	8	25	4	8	0	8	10	57	58	9	8		
11	Kiphire	13	18	4	0	1	0	8	3	4	1	12	4	207	211	0	0		
	<b>Total Nagaland</b>	<b>300</b>	<b>243</b>	<b>152</b>	<b>117</b>	<b>766</b>	<b>798</b>	<b>548</b>	<b>173</b>	<b>163</b>	<b>67</b>	<b>569</b>	<b>255</b>	<b>12342</b>	<b>12631</b>	<b>421</b>	<b>226</b>		

**TABLE-19 (III)**  
**TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS DURING 2024**

Sl.no.	District	NUMBER OF EVENTS REGISTERED (COMBINED)												Number of Events Registered for Previous Calendar Year					
		Live Births						Deaths						Live Births			Deaths		
		Delayed Registration			After 30 days but Within 1 Year			Delayed Registration			After 30 Days but Within 1 Year								
		Within Time Limit		Within 30 Days		After 30 days but Within 1 Year		Within Time Limit		Within 30 Days		After 30 Days but Within 1 Year		M	F	M	F	M	F
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
1	Kohima	123	42	81	37	220	164	93	34	36	9	60	38	1063	1329	55	30		
2	Phek	14	21	4	2	5	0	8	3	4	1	12	4	1209	1276	33	49		
3	Mokokchung	6	6	1	0	41	46	52	10	20	4	107	27	1700	1608	136	126		
4	Wokha	10	10	8	2	31	29	41	18	5	0	32	9	1341	1325	43	25		
5	Zunheboto	3	4	1	0	18	19	39	7	11	1	59	14	2521	2513	57	40		
6	Tuensang	57	38	44	76	109	63	26	15	16	20	35	28	4984	4586	85	5		
7	Mon	44	4	17	4	260	46	46	12	14	6	29	6	5605	5305	47	32		
8	Dimapur	167	166	80	66	490	607	295	101	54	33	308	151	8085	8384	198	93		
9	Peren	25	21	32	30	12	7	12	4	3	4	11	9	1260	1191	16	3		
10	Longleng	9	6	3	3	21	26	35	4	8	2	15	13	664	569	18	11		
11	Kiphire	14	21	4	2	5	0	8	3	4	1	12	4	572	602	0	0		
	<b>Total Nagaland</b>	<b>472</b>	<b>339</b>	<b>275</b>	<b>222</b>	<b>1212</b>	<b>1007</b>	<b>655</b>	<b>211</b>	<b>175</b>	<b>81</b>	<b>680</b>	<b>303</b>	<b>29004</b>	<b>28688</b>	<b>688</b>	<b>414</b>		





## Important Publications and Reports published by the Directorate of Economics & Statistics, Nagaland.

1. *The Nagaland Statistical Handbook (Annual)*
2. *The Nagaland Economic Survey (Annual)*
3. *The Nagaland Gender Statistics (Annual)*
4. *The Nagaland State Gross Domestic Product Estimates (Annual)*
5. *The National Sample Survey (State Sample & Polling) Reports (Annual)*
6. *The Nagaland Price Statistics Report (Quarterly & Annual)*
7. *The Nagaland Wholesale Price Index Report*
8. *The Village Level Development Indicators (VLDI Report (Annual))*
9. *The Nagaland Vital Statistics Report (Annual)*
10. *The Nagaland Legislative Assembly Election Result (Periodic)*
11. *The Nagaland Index of Industrial Production (IIP)*
12. *The Nagaland Disaster Statistics (Annual)*
13. *The Nagaland District Domestic Product*

# Registration of Births & Deaths is Compulsory

‘ENSURE REGISTRATION OF EVERY BIRTH & DEATH’



ENFORCED UNDER REGISTRATION OF BIRTHS & DEATHS ACT 1969, & CORRESPONDING NAGALAND BIRTHS & DEATHS (AMENDMENT) RULES 1999

Register Birth & Death online at: [www.crsorgi.gov.in](http://www.crsorgi.gov.in)

Website: [www.statistics.nagaland.gov.in](http://www.statistics.nagaland.gov.in)